

ATOSA Catering Equipment INC.







WE MAKE THE KITCHEN BETTER

Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com California,Colorado,Florida,Georgia, Illinois,Massachusetts,New Jersey,Ohio,Texas, Washington













Warehouse in The USA



California Headquarters	1225 W. Imperial Hwy, Brea, CA 92821	Tel:(909)-595-2688 Fax:(909)-595-7688 Email:socal@atosausa.com
Arlington, TX	407 113th Street Arlington, TX 76011	Tel:(817)-385-0890 Fax:(817)-385-0894 Email:dallas@atosausa.com
Atlanta, GA	7575-A Ponce De Leon Circle Doraville, GA 30340	Tel:(770)-248-9797 Fax:(770)-248-9799 Email:atlanta@atosausa.com
Boston, MA	203 Flanders Rd. Westborough, MA 01581	Tel:(508)-329-6031 Fax:(508)-329-6030 Email:boston@atosausa.com
Denver, CO	2250 N. Airport Boulevard, Suite 500 Aurora, CO 80011	Tel:(303)-577-0061 Fax:(303) 577-0314 Email:denver@atosausa.com
Hayward, CA	26545 Danti Court Hayward, CA 94545	Tel:(510)-670-2951 Fax: (510)-670-2950 Email:sf@atosausa.com
Homer Glen, IL	14503 Gougar Rd. Suite 7 Homer Glen, IL 60491	Tel:(815)-838-9503 Fax:(815)-838-9504 Email:chicago@atosausa.com
Houston, TX	16420 West Hardy Rd., Suite 245 Houston, TX 77060	Tel:(281)-877-0200 Fax:(281)-877-4165 Email: houston@atosausa.com
Kent, WA	6930 South 212th StreetKent, WA 98032	Tel:(253)-236-5295 Fax:(844)-585-7245 Email:seattle@atosausa.com
Lakeland, FL	3010 Maine Ave. #7 Lakeland, FL 33801	Tel:(863)-698-7905 Fax:(863)-698-7906 Email:orlando@atosausa.com
Fairfield, NJ	12 Gardner Rd. Fairfield, NJ 07004	Tel:(201)-355-8257 Fax:(201)-355-8810 Email:nj@atosausa.com
Groveport, OH	5700 North Green Pointe Drive Suite C Groveport, OH 43125	Tel:(614)-648-5313 Fax:(614)-567-6163 Email:ohio@atosausa.com



Smart Kitchen Service

Dear Atosa User:

We are incredibly proud to announce our very own in-house service department. At Smart Kitchen Service, our staff is dedicated to providing our customers with services and products exceeding their expectations. At Smart Kitchen Service, we pride ourselves on delivering superior customer service by providing a steady communication between our service agents and our customers. Our unique ability to provide customers with same day customers service, gives us an edge over our competition. At Smart Kitchen Service every one of our customers is assigned to a specific customer service representative, who directly oversees every service call and its progress from start to finish. The direct involvement of our customer service team allows Smart Kitchen Service to remain flexible and tailor our service to suit the needs of our customers. When you need a solution our customer service representatives are there to help you find it. We make your satisfaction and continued business our priority!

Our service director has a life time experience. He has spent a career in commercial food service manufacturing roles. He began as a quality control engineer, and was promoted to a director of product quality and product services, and he has personally trained each one of our service agents individually, to make sure we provide you with the ultimate customer service experience.

We will not rest, until our customers are 100% satisfied.

Toll Free: 800-683-8660

East Coast Service Representative:

Ext. 104 & Ext. 109

West Coast Service Representative:

Ext. 103& Ext. 110

Central Service Representative:

Ext. 105& Ext. 108



Contents

REFRIGERATION	
Upright Freezer - Top Mount Series	01
Upright Refrigerator - Top Mount Series	
Upright Freezer - Bottom Mount Series	
Upright Refrigerator - Bottom Mount Series	07
Glass Door Merchandiser - Freezer Series	
Glass Door Merchandiser - Refrigerator Series	
Undercounter Refrigerator Series	
Undercounter Freezer Series	
Sandwich Prep Table Refrigerator Series	
Mega Top Sandwich Prep Table Refrigerator Series	
Pizza Prep Table Refrigerator Series Chef Base	
Offer base	23
GAS EQUIPMENTS	
Char Rock Broilers	
Radiant Broilers	
Griddles	
Hot Plates Stock Pot Stoves	
Fryers	
SMALLWARES	
Economic Chafers	
Roll Top Chafers	
Food Warmers	
Stainless Steel Equipment Stands	
Steam Table Pans	45
SINKS & TABLES	
Work Tables 24 inch Series	47
Work Tables 30 inch Series	
Compartment Sinks MRSA-1-D	
Compartment Sinks MRSA-1-L	
Compartment Sinks MRS-1-MOP	
Compartment Sinks MRSA-1-N	
Compartment Sinks MRSA-1-R	
Compartment Sinks MRSB-3-D/MRSA-3-D	
Welding Hand Wash Sinks MRS-HS-14	
Welding Hand Wash Sinks MRS-HS-18	56





REFRIGERATION

Upright Freezer - Top Mount Series	01
Upright Refrigerator - Top Mount Series	03
Upright Freezer - Bottom Mount Series	05
Upright Refrigerator - Bottom Mount Series	07
Glass Door Merchandiser - Freezer Series	09
Glass Door Merchandiser - Refrigerator Series	11
Undercounter Refrigerator Series	13
Undercounter Freezer Series	15
Sandwich Prep Table Refrigerator Series	
Mega Top Sandwich Prep Table Refrigerator Series	19
Pizza Prep Table Refrigerator Series	21
Chef Base	23



Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com California, Colorado, Florida, Georgia, Illinois, Massachusetts, New Jersey, Ohio, Texas, Washington

Upright Freezer-Top Mount Series

Standard Features

- Top mount compressor units
- Exterior & interior stainless steel construction
- Dixell digital temperature control system
- Heavy duty Embraco compressor
- Self-closing and stay open door
- Efficient refrigeration system
- · Round corner design
- · Recessed door handle
- Standard safety door lock
- Magnetic door gaskets
- Pre-installed castors
- Pre-installed shelves
- 155lbs loading capacity per shelf















Specifications

Model	Doors	Cu.Ft	Shelves	Exterior Dimensions(W*D*H)	Packing Dimensions(W*D*H)	Castors	Gross Weight(LBS)	HP	Voltage	Amps	Refrigerant
MBF8001	1	22.6	3	28.74×33.27×82.89	30.4×34.7×85.8	4 inch	278.96	1/2	115/60/1	7.5	R-404a
MBF8002	2	44.5	6	51.73×33.27×82.89	54.5×34.7×85.8	4 inch	413.16	3/4	115/60/1	12	R-404a
MBF8003	3	69.2	9	77.8×33.27×82.89	80.7×34.7×85.8	4 inch	574.64	1	115/208~230/60/1	5.5	R-404a

MBF8001

MBF8002

MBF8003

For best results of food preservation, we recommend setting your freezer between 0°F - 8°F












- 1.Don't forget to leave the unit some room to breathe!
- 2. Please clean the condenser frequently to give the unit more fresh air.







Terms and Conditions

2 YEAR WARRANTY

All claims for parts or labor must be made directly through Atosa. All claims must include: model number of the unit, the serial number, proof of purchase, date of installation, and all pertinent information supporting the alleged defect. In case of compressor replacement under warranty, either compressor or compressor tag must be returned to Atosa along with above listed information. Failure to comply with warranty policies will result in voiding claims.

Two Year Parts & Labor Warranty

Atosa warrants all new refrigerated components, such as the cabinet and all parts, to be free from defects in materials or workmanship. Atosa's obligation under this warranty is limited to a period of two (2) years from the date of original installation or 27 months after shipment date from Atosa, whichever occurs first. All part s covered under this warranty that are defective within two (2) years of original installation or twenty seven (27) months after shipment date from manufacturer, whichever occurs first, are limited to repair or replacement (including labor charges, of defective parts or assemblies). The labor warranty shall include standard straight time labor charges only and reasonable travel time, as determined by Atosa.

Additional Three Year Compressor Warranty

In addition to the two (2) year warranty stated above, Atosa warrants its sealed compressor to be free from defects in both material and workmanship under normal and proper use and maintenance service for a period of three (3) additional years from the date of original installation, but not to exceed five (5) years. Compressors that have been determined to be defective from Atosa within this extended period will be either repaired or replaced with a compressor or compressor parts of similar design and capacity according to Atosa's discretion. The three (3) year extended compressor warranty applies only to sealed parts of the compressor and does not apply to any other parts or components. This includes, the cabinet, paint finish, temperature control, refrigerant, metering device, motor starting equipment, fan assembly, and other electrical components, etc.

404A / 134a Compressor Warranty

The five-year compressor warranty detailed above will be void if the following procedure is not carefully adhered to:

- $1. This\ system\ contains\ R404A\ or\ R134a\ refrigerant\ and\ lubricant.\ The\ lubricant\ has\ rapid\ moisture\ absorbing\ qualities.$
- 2.Drier replacement is very important and must be changed when a system is opened for servicing.
- 3. Micron level vacuums must be achieved to insure low moisture levels in the system.
- 4.Compressor must be obtained through Atosa, unless otherwise specified in writing, through Atosa's warranty department.

What is Not Covered by This Warranty

Atosa's sole obligation under this warranty is limited to either repair or replacement of parts, subject to the additional limitations below. This warranty neither assumes nor authorizes any person to assume obligations other than those expressly covered by this warranty.

Routine Maintenance requirements must be followed or warranty is Void NO CONSEQUENTIAL DAMAGES: ATOSA IS NOT RESPONSIBLE FOR ECONOMIC LOSS; PROFIT LOSS; OR SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES, INCLUDING WITHOUT LIMITATION, LOSSES, OR DAMAGES ARISING FROM FOOD OR PRODUCT SPOILAGE, REGARDLESS OF WHETHER OR NOT THEY RESULT FROM REFRIGERATION FAILURE.

WARRANTY IS NOT TRANSFERABLE: This warranty is not assignable and applies only in favor of the original purchaser/user to whom delivered. ANY SUCH ASSIGNMENT OR TRANSFER SHALL VOID THE WARRANNTIES HEREIN AND SHALL VOID ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR LABOR COVERAGE FOR COMPONENT FAILURE OR OTHER THE WARRANTY PACKET PROVIDED WITH THE UNIT

ALTERATION, NEGLECT, ABUSE, MISUSE, ACCIDENT, DAMAGE DURING TRANSIT OR INSTALLATION, FIRE, FOOD, OR ACTS OF GOD:

Atosa is not responsible for the repair or replacement of any parts that are determined to have been subjected after the date of manufacture to alteration, neglect, abuse, misuse, accident, damage during transit or installation, fire, flood, or act of God.

IMPROPER ELECTRICAL CONNECTIONS: Atosa IS NOT RESPONSIBLE FOR THE REPAIR OR REPLACEMENT OF FAILED OR DAMAGED COMPONENTS RESULTING FROM ELECTRICAL POWER FAILURE, THE USE OF EXTENSION CORDS, LOW VOLTAGE, OR VOLTAGE DROPS TO THE UNIT.

THE TWO (2) YEAR PARTS & LABOR WARRANTY AND THE ADDITIONAL THREE (3) YEAR COMPRESSOR WARRANTY ARE AS DESCRIBED ABOVE. THESE WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, INCLUDING IMPLIED WARRANTY AND MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF.

Outside U.S. and Canada: This warranty does not apply to areas outside the continent of the United States. Atosa is not responsible for any warranty claims made on products sold or used in such areas.



Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com California,Colorado,Florida,Georgia, Illinois,Massachusetts,New Jersey,Ohio,Texas, Washington

Upright Refrigerator-Top Mount Series

Standard Features

- Top mount compressor units
- Exterior & interior stainless steel construction
- Dixell digital temperature control system
- Heavy duty Embraco compressor
- Self-closing and stay open door
- Efficient refrigeration system
- · Round corner design
- · Recessed door handle
- Standard safety door lock
- Magnetic door gaskets
- Pre-installed castors
- Pre-installed shelves
- 155lbs loading capacity per shelf















Specifications

Model	Doors	Cu.Ft	Shelves	Exterior Dimensions(W*D*H)	Packing Dimensions(W*D*H)	Castors	Gross Weight(LBS)	HP	Voltage	Amps	Refrigerant
MBF8004	1	22.6	3	28.74×33.27×82.89	30.4×34.7×85.8	4 inch	264.88	1/6	115/60/1	4	R-134a
MBF8005	2	44.5	6	51.73×33.27×82.89	54.5×34.7×85.8	4 inch	398.64	1/3	115/60/1	6.5	R-134a
MBF8006	3	69.2	9	77.8×33.27×82.89	80.7×34.7×85.8	4 inch	557.04	1/3	115/60/1	7.6	R-134a

MBF8004

MBF8005

MBF8006

For best results of food preservation, we recommend setting your refrigerator between 33 $^{\circ}\text{F}$ - 38 $^{\circ}\text{F}$












- 1.Don't forget to leave the unit some room to breathe!
- 2. Please clean the condenser frequently to give the unit more fresh air.







Terms and Conditions

2 YEAR WARRANTY

All claims for parts or labor must be made directly through Atosa. All claims must include: model number of the unit, the serial number, proof of purchase, date of installation, and all pertinent information supporting the alleged defect. In case of compressor replacement under warranty, either compressor or compressor tag must be returned to Atosa along with above listed information. Failure to comply with warranty policies will result in voiding claims.

Two Year Parts & Labor Warranty

Atosa warrants all new refrigerated components, such as the cabinet and all parts, to be free from defects in materials or workmanship. Atosa's obligation under this warranty is limited to a period of two (2) years from the date of original installation or 27 months after shipment date from Atosa, whichever occurs first. All part s covered under this warranty that are defective within two (2) years of original installation or twenty seven (27) months after shipment date from manufacturer, whichever occurs first, are limited to repair or replacement (including labor charges, of defective parts or assemblies). The labor warranty shall include standard straight time labor charges only and reasonable travel time, as determined by Atosa.

Additional Three Year Compressor Warranty

In addition to the two (2) year warranty stated above, Atosa warrants its sealed compressor to be free from defects in both material and workmanship under normal and proper use and maintenance service for a period of three (3) additional years from the date of original installation, but not to exceed five (5) years. Compressors that have been determined to be defective from Atosa within this extended period will be either repaired or replaced with a compressor or compressor parts of similar design and capacity according to Atosa's discretion. The three (3) year extended compressor warranty applies only to sealed parts of the compressor and does not apply to any other parts or components. This includes, the cabinet, paint finish, temperature control, refrigerant, metering device, motor starting equipment, fan assembly, and other electrical components, etc.

404A / 134a Compressor Warranty

The five-year compressor warranty detailed above will be void if the following procedure is not carefully adhered to:

- 1. This system contains R404A or R134a refrigerant and lubricant. The lubricant has rapid moisture absorbing qualities.
- 2.Drier replacement is very important and must be changed when a system is opened for servicing.
- 3. Micron level vacuums must be achieved to insure low moisture levels in the system.
- 4.Compressor must be obtained through Atosa, unless otherwise specified in writing, through Atosa's warranty department.

What is Not Covered by This Warranty

Atosa's sole obligation under this warranty is limited to either repair or replacement of parts, subject to the additional limitations below. This warranty neither assumes nor authorizes any person to assume obligations other than those expressly covered by this warranty.

Routine Maintenance requirements must be followed or warranty is Void NO CONSEQUENTIAL DAMAGES: ATOSA IS NOT RESPONSIBLE FOR ECONOMIC LOSS; PROFIT LOSS; OR SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES, INCLUDING WITHOUT LIMITATION, LOSSES, OR DAMAGES ARISING FROM FOOD OR PRODUCT SPOILAGE, REGARDLESS OF WHETHER OR NOT THEY RESULT FROM REFRIGERATION FAILURE.

WARRANTY IS NOT TRANSFERABLE: This warranty is not assignable and applies only in favor of the original purchaser/user to whom delivered. ANY SUCH ASSIGNMENT OR TRANSFER SHALL VOID THE WARRANNTIES HEREIN AND SHALL VOID ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR LABOR COVERAGE FOR COMPONENT FAILURE OR OTHER THE WARRANTY PACKET PROVIDED WITH THE UNIT

ALTERATION, NEGLECT, ABUSE, MISUSE, ACCIDENT, DAMAGE DURING TRANSIT OR INSTALLATION, FIRE, FOOD, OR ACTS OF GOD:

Atosa is not responsible for the repair or replacement of any parts that are determined to have been subjected after the date of manufacture to alteration, neglect, abuse, misuse, accident, damage during transit or installation, fire, flood, or act of God.

IMPROPER ELECTRICAL CONNECTIONS: Atosa IS NOT RESPONSIBLE FOR THE REPAIR OR REPLACEMENT OF FAILED OR DAMAGED COMPONENTS RESULTING FROM ELECTRICAL POWER FAILURE, THE USE OF EXTENSION CORDS, LOW VOLTAGE, OR VOLTAGE DROPS TO THE UNIT.

THE TWO (2) YEAR PARTS & LABOR WARRANTY AND THE ADDITIONAL THREE (3) YEAR COMPRESSOR WARRANTY ARE AS DESCRIBED ABOVE. THESE WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, INCLUDING IMPLIED WARRANTY AND MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF.

Outside U.S. and Canada: This warranty does not apply to areas outside the continent of the United States. Atosa is not responsible for any warranty claims made on products sold or used in such areas.



Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com California,Colorado,Florida,Georgia, Illinois,Massachusetts,New Jersey,Ohio,Texas, Washington

Upright Freezer-Bottom Mount Series

Standard Features

- Bottom mount compressor units
- Exterior & interior stainless steel construction
- Dixell digital temperature control system
- Heavy duty Embraco compressor
- Self-closing and stay open door
- Efficient refrigeration system
- · Round corner design
- · Recessed door handle
- Standard safety door lock
- Magnetic door gaskets
- Pre-installed castors
- Pre-installed shelves
- 155lbs loading capacity per shelf





MBF8504











Specifications

Model	Doors	Cu.Ft	Shelves	Exterior Dimensions(W*D*H)	Packing Dimensions(W*D*H)	Castors	Gross Weight(LBS)	HP	Voltage	Amps	Refrigerant
MBF8501	1	21	3	26.97×31.5×83.16	28.8×33.1×85.8	4 inch	229.2	1/2	115/60/1	7.5	R-404a
MBF8503	2	46	6	54.41×31.5×83.16	56.2×33.1×85.8	4 inch	456.72	3/4	115/60/1	12	R-404a
MBF8504	3	71	9	81.85×31.5×83.16	83.7×33.1×85.8	4 inch	637.56	1	115/208~230/60/1	5.5	R-404a

For best results of food preservation, we recommend setting your freezer between $0^\circ F$ - $8^\circ F$












- 1.Don't forget to leave the unit some room to breathe!
- 2. Please clean the condenser frequently to give the unit more fresh air.
- 3.Energy Star only for MBF8503 and MBF8504.







Terms and Conditions

2 YEAR WARRANTY

All claims for parts or labor must be made directly through Atosa. All claims must include: model number of the unit, the serial number, proof of purchase, date of installation, and all pertinent information supporting the alleged defect. In case of compressor replacement under warranty, either compressor or compressor tag must be returned to Atosa along with above listed information. Failure to comply with warranty policies will result in voiding claims.

Two Year Parts & Labor Warranty

Atosa warrants all new refrigerated components, such as the cabinet and all parts, to be free from defects in materials or workmanship. Atosa's obligation under this warranty is limited to a period of two (2) years from the date of original installation or 27 months after shipment date from Atosa, whichever occurs first. All part s covered under this warranty that are defective within two (2) years of original installation or twenty seven (27) months after shipment date from manufacturer, whichever occurs first, are limited to repair or replacement (including labor charges, of defective parts or assemblies). The labor warranty shall include standard straight time labor charges only and reasonable travel time, as determined by Atosa.

Additional Three Year Compressor Warranty

In addition to the two (2) year warranty stated above, Atosa warrants its sealed compressor to be free from defects in both material and workmanship under normal and proper use and maintenance service for a period of three (3) additional years from the date of original installation, but not to exceed five (5) years. Compressors that have been determined to be defective from Atosa within this extended period will be either repaired or replaced with a compressor or compressor parts of similar design and capacity according to Atosa's discretion. The three (3) year extended compressor warranty applies only to sealed parts of the compressor and does not apply to any other parts or components. This includes, the cabinet, paint finish, temperature control, refrigerant, metering device, motor starting equipment, fan assembly, and other electrical components, etc.

404A / 134a Compressor Warranty

The five-year compressor warranty detailed above will be void if the following procedure is not carefully adhered to:

- 1. This system contains R404A or R134a refrigerant and lubricant. The lubricant has rapid moisture absorbing qualities.
- 2.Drier replacement is very important and must be changed when a system is opened for servicing.
- 3. Micron level vacuums must be achieved to insure low moisture levels in the system.
- 4.Compressor must be obtained through Atosa, unless otherwise specified in writing, through Atosa's warranty department.

What is Not Covered by This Warranty

Atosa's sole obligation under this warranty is limited to either repair or replacement of parts, subject to the additional limitations below. This warranty neither assumes nor authorizes any person to assume obligations other than those expressly covered by this warranty.

Routine Maintenance requirements must be followed or warranty is Void NO CONSEQUENTIAL DAMAGES: ATOSA IS NOT RESPONSIBLE FOR ECONOMIC LOSS; PROFIT LOSS; OR SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES, INCLUDING WITHOUT LIMITATION, LOSSES, OR DAMAGES ARISING FROM FOOD OR PRODUCT SPOILAGE, REGARDLESS OF WHETHER OR NOT THEY RESULT FROM REFRIGERATION FAILURE.

WARRANTY IS NOT TRANSFERABLE: This warranty is not assignable and applies only in favor of the original purchaser/user to whom delivered. ANY SUCH ASSIGNMENT OR TRANSFER SHALL VOID THE WARRANNTIES HEREIN AND SHALL VOID ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR LABOR COVERAGE FOR COMPONENT FAILURE OR OTHER THE WARRANTY PACKET PROVIDED WITH THE UNIT

ALTERATION, NEGLECT, ABUSE, MISUSE, ACCIDENT, DAMAGE DURING TRANSIT OR INSTALLATION, FIRE, FOOD, OR ACTS OF GOD:

Atosa is not responsible for the repair or replacement of any parts that are determined to have been subjected after the date of manufacture to alteration, neglect, abuse, misuse, accident, damage during transit or installation, fire, flood, or act of God.

IMPROPER ELECTRICAL CONNECTIONS: Atosa IS NOT RESPONSIBLE FOR THE REPAIR OR REPLACEMENT OF FAILED OR DAMAGED COMPONENTS RESULTING FROM ELECTRICAL POWER FAILURE, THE USE OF EXTENSION CORDS, LOW VOLTAGE, OR VOLTAGE DROPS TO THE UNIT.

THE TWO (2) YEAR PARTS & LABOR WARRANTY AND THE ADDITIONAL THREE (3) YEAR COMPRESSOR WARRANTY ARE AS DESCRIBED ABOVE. THESE WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, INCLUDING IMPLIED WARRANTY AND MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF.

Outside U.S. and Canada: This warranty does not apply to areas outside the continent of the United States. Atosa is not responsible for any warranty claims made on products sold or used in such areas.



Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com California, Colorado, Florida, Georgia, Illinois, Massachusetts, New Jersey, Ohio, Texas, Washington

Upright Refrigerator- Bottom Mount Series

Standard Features

- Bottom mount compressor units
- Exterior & interior stainless steel construction
- Dixell digital temperature control system
- Heavy duty Embraco compressor
- Self-closing and stay open door
- Efficient refrigeration system
- · Round corner design
- · Recessed door handle
- Standard safety door lock
- Magnetic door gaskets
- Pre-installed castors
- Pre-installed shelves
- 155lbs loading capacity per shelf

















Specifications

Model	Doors	Cu.Ft	Shelves	Exterior Dimensions(W*D*H)	Packing Dimensions(W*D*H)	Castors	Gross Weight(LBS)	HP	Voltage	Amps	Refrigerant
MBF8505	1	21	3	26.97×31.5×83.16	28.8×33.1×85.8	4 inch	228.24	1/6	115/60/1	4	R-134a
MBF8507	2	46	6	54.41×31.5×83.16	56.2×33.1×85.8	4 inch	444.4	1/3	115/60/1	6.5	R-134a
MBF8508	3	71	9	81.85×31.5×83.16	83.7×33.1×85.8	4 inch	637.56	1/3	115/60/1	7.6	R-134a

MBF8507

MBF8508

For best results of food preservation, we recommend setting your refrigerator between 33°F - 38°F












- 1.Don't forget to leave the unit some room to breathe!
- 2. Please clean the condenser frequently to give the unit more fresh air.







Terms and Conditions

2 YEAR WARRANTY

All claims for parts or labor must be made directly through Atosa. All claims must include: model number of the unit, the serial number, proof of purchase, date of installation, and all pertinent information supporting the alleged defect. In case of compressor replacement under warranty, either compressor or compressor tag must be returned to Atosa along with above listed information. Failure to comply with warranty policies will result in voiding claims.

Two Year Parts & Labor Warranty

Atosa warrants all new refrigerated components, such as the cabinet and all parts, to be free from defects in materials or workmanship. Atosa's obligation under this warranty is limited to a period of two (2) years from the date of original installation or 27 months after shipment date from Atosa, whichever occurs first. All part s covered under this warranty that are defective within two (2) years of original installation or twenty seven (27) months after shipment date from manufacturer, whichever occurs first, are limited to repair or replacement (including labor charges, of defective parts or assemblies). The labor warranty shall include standard straight time labor charges only and reasonable travel time, as determined by Atosa.

Additional Three Year Compressor Warranty

In addition to the two (2) year warranty stated above, Atosa warrants its sealed compressor to be free from defects in both material and workmanship under normal and proper use and maintenance service for a period of three (3) additional years from the date of original installation, but not to exceed five (5) years. Compressors that have been determined to be defective from Atosa within this extended period will be either repaired or replaced with a compressor or compressor parts of similar design and capacity according to Atosa's discretion. The three (3) year extended compressor warranty applies only to sealed parts of the compressor and does not apply to any other parts or components. This includes, the cabinet, paint finish, temperature control, refrigerant, metering device, motor starting equipment, fan assembly, and other electrical components, etc.

404A / 134a Compressor Warranty

The five-year compressor warranty detailed above will be void if the following procedure is not carefully adhered to:

- 1. This system contains R404A or R134a refrigerant and lubricant. The lubricant has rapid moisture absorbing qualities.
- 2.Drier replacement is very important and must be changed when a system is opened for servicing.
- 3.Micron level vacuums must be achieved to insure low moisture levels in the system.
- 4.Compressor must be obtained through Atosa, unless otherwise specified in writing, through Atosa's warranty department.

What is Not Covered by This Warranty

Atosa's sole obligation under this warranty is limited to either repair or replacement of parts, subject to the additional limitations below. This warranty neither assumes nor authorizes any person to assume obligations other than those expressly covered by this warranty.

Routine Maintenance requirements must be followed or warranty is Void NO CONSEQUENTIAL DAMAGES: ATOSA IS NOT RESPONSIBLE FOR ECONOMIC LOSS; PROFIT LOSS; OR SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES, INCLUDING WITHOUT LIMITATION, LOSSES, OR DAMAGES ARISING FROM FOOD OR PRODUCT SPOILAGE, REGARDLESS OF WHETHER OR NOT THEY RESULT FROM REFRIGERATION FAILURE.

WARRANTY IS NOT TRANSFERABLE: This warranty is not assignable and applies only in favor of the original purchaser/user to whom delivered. ANY SUCH ASSIGNMENT OR TRANSFER SHALL VOID THE WARRANNTIES HEREIN AND SHALL VOID ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR LABOR COVERAGE FOR COMPONENT FAILURE OR OTHER THE WARRANTY PACKET PROVIDED WITH THE UNIT

ALTERATION, NEGLECT, ABUSE, MISUSE, ACCIDENT, DAMAGE DURING TRANSIT OR INSTALLATION, FIRE, FOOD, OR ACTS OF GOD:

Atosa is not responsible for the repair or replacement of any parts that are determined to have been subjected after the date of manufacture to alteration, neglect, abuse, misuse, accident, damage during transit or installation, fire, flood, or act of God.

IMPROPER ELECTRICAL CONNECTIONS: Atosa IS NOT RESPONSIBLE FOR THE REPAIR OR REPLACEMENT OF FAILED OR DAMAGED COMPONENTS RESULTING FROM ELECTRICAL POWER FAILURE, THE USE OF EXTENSION CORDS, LOW VOLTAGE, OR VOLTAGE DROPS TO THE UNIT.

THE TWO (2) YEAR PARTS & LABOR WARRANTY AND THE ADDITIONAL THREE (3) YEAR COMPRESSOR WARRANTY ARE AS DESCRIBED ABOVE. THESE WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, INCLUDING IMPLIED WARRANTY AND MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF.

Outside U.S. and Canada: This warranty does not apply to areas outside the continent of the United States. Atosa is not responsible for any warranty claims made on products sold or used in such areas.



Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com | www.atosausa.com California,Colorado,Florida,Georgia, Illinois,Massachusetts,New Jersey,Ohio,Texas, Washington

Glass Door Merchandiser-Freezer Series

Standard Features

- Bottom mount compressor units
- Led lighting interior display system
- Dixell digital temperature control system
- Heavy duty Embraco compressor
- Self-closing and stay open door
- Efficient refrigeration system
- · Round corner design
- · Recessed door handle
- Standard safety door lock
- Magnetic door gaskets
- Pre-installed castors
- Pre-installed shelves
- 155lbs loading capacity per shelf









Specifications

Model	Doors	Cu.Ft	Shelves	Exterior Dimensions(W*D*H)	Packing Dimensions(W*D*H)	Castors	Gross Weight(LBS)	HP	Voltage	Amps	Refrigerant
MCF8701	1	21	4	26.97×31.5×83.16	28.8×33.1×84.2	4 inch	345.4	1/2	115/60/1	7.5	R-404a
MCF8703	2	47.1	8	54.41×31.5×83.16	56.2×33.1×84.2	4 inch	553.08	3/4	115/60/1	12	R-404a

MCF8701

MCF8703

For best results of food preservation, we recommend setting your freezer between $0\,^\circ F$ - $8\,^\circ F$













- 1.Don't forget to leave the unit some room to breathe!
- 2. Please clean the condenser frequently to give the unit more fresh air.







Side View



Terms and Conditions

2 YEAR WARRANTY

All claims for parts or labor must be made directly through Atosa. All claims must include: model number of the unit, the serial number, proof of purchase, date of installation, and all pertinent information supporting the alleged defect. In case of compressor replacement under warranty, either compressor or compressor tag must be returned to Atosa along with above listed information. Failure to comply with warranty policies will result in voiding claims.

Two Year Parts & Labor Warranty

Atosa warrants all new refrigerated components, such as the cabinet and all parts, to be free from defects in materials or workmanship. Atosa's obligation under this warranty is limited to a period of two (2) years from the date of original installation or 27 months after shipment date from Atosa, whichever occurs first. All part s covered under this warranty that are defective within two (2) years of original installation or twenty seven (27) months after shipment date from manufacturer, whichever occurs first, are limited to repair or replacement (including labor charges, of defective parts or assemblies). The labor warranty shall include standard straight time labor charges only and reasonable travel time, as determined by Atosa.

Additional Three Year Compressor Warranty

In addition to the two (2) year warranty stated above, Atosa warrants its sealed compressor to be free from defects in both material and workmanship under normal and proper use and maintenance service for a period of three (3) additional years from the date of original installation, but not to exceed five (5) years. Compressors that have been determined to be defective from Atosa within this extended period will be either repaired or replaced with a compressor or compressor parts of similar design and capacity according to Atosa's discretion. The three (3) year extended compressor warranty applies only to sealed parts of the compressor and does not apply to any other parts or components. This includes, the cabinet, paint finish, temperature control, refrigerant, metering device, motor starting equipment, fan assembly, and other electrical components, etc.

404A / 134a Compressor Warranty

The five-year compressor warranty detailed above will be void if the following procedure is not carefully adhered to:

- 1. This system contains R404A or R134a refrigerant and lubricant. The lubricant has rapid moisture absorbing qualities.
- 2.Drier replacement is very important and must be changed when a system is opened for servicing.
- 3. Micron level vacuums must be achieved to insure low moisture levels in the system.
- 4.Compressor must be obtained through Atosa, unless otherwise specified in writing, through Atosa's warranty department.

What is Not Covered by This Warranty

Atosa's sole obligation under this warranty is limited to either repair or replacement of parts, subject to the additional limitations below. This warranty neither assumes nor authorizes any person to assume obligations other than those expressly covered by this warranty.

Routine Maintenance requirements must be followed or warranty is Void NO CONSEQUENTIAL DAMAGES: ATOSA IS NOT RESPONSIBLE FOR ECONOMIC LOSS; PROFIT LOSS; OR SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES, INCLUDING WITHOUT LIMITATION, LOSSES, OR DAMAGES ARISING FROM FOOD OR PRODUCT SPOILAGE, REGARDLESS OF WHETHER OR NOT THEY RESULT FROM REFRIGERATION FAILURE.

WARRANTY IS NOT TRANSFERABLE: This warranty is not assignable and applies only in favor of the original purchaser/user to whom delivered. ANY SUCH ASSIGNMENT OR TRANSFER SHALL VOID THE WARRANNTIES HEREIN AND SHALL VOID ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR LABOR COVERAGE FOR COMPONENT FAILURE OR OTHER THE WARRANTY PACKET PROVIDED WITH THE UNIT

ALTERATION, NEGLECT, ABUSE, MISUSE, ACCIDENT, DAMAGE DURING TRANSIT OR INSTALLATION, FIRE, FOOD, OR ACTS OF GOD:

Atosa is not responsible for the repair or replacement of any parts that are determined to have been subjected after the date of manufacture to alteration, neglect, abuse, misuse, accident, damage during transit or installation, fire, flood, or act of God.

IMPROPER ELECTRICAL CONNECTIONS: Atosa IS NOT RESPONSIBLE FOR THE REPAIR OR REPLACEMENT OF FAILED OR DAMAGED COMPONENTS RESULTING FROM ELECTRICAL POWER FAILURE, THE USE OF EXTENSION CORDS, LOW VOLTAGE, OR VOLTAGE DROPS TO THE UNIT.

THE TWO (2) YEAR PARTS & LABOR WARRANTY AND THE ADDITIONAL THREE (3) YEAR COMPRESSOR WARRANTY ARE AS DESCRIBED ABOVE. THESE WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, INCLUDING IMPLIED WARRANTY AND MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF.

Outside U.S. and Canada: This warranty does not apply to areas outside the continent of the United States. Atosa is not responsible for any warranty claims made on products sold or used in such areas.



Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com California,Colorado,Florida,Georgia, Illinois,Massachusetts,New Jersey,Ohio,Texas, Washington

Glass Door Merchandiser-Refrigerator Series

Standard Features

• Bottom mount compressor units

- Led lighting interior display system
- Dixell digital temperature control system
- Heavy duty Embraco compressor
- Self-closing and stay open door
- Efficient refrigeration system
- · Round corner design
- · Recessed door handle
- Standard safety door lock
- Magnetic door gaskets
- Pre-installed castors
- Pre-installed shelves
- 155lbs loading capacity per shelf



MCF8705











Specifications

Model	Doors	Cu.Ft	Shelves	Exterior Dimensions(W*D*H)	Packing Dimensions(W*D*H)	Castors	Gross Weight(LBS)	HP	Voltage	Amps	Refrigerant
MCF8705	1	22	4	26.97×31.5×83.16	28.8×33.1×84.2	4 inch	314.16	1/6	115/60/1	3.2	R-134a
MCF8707	2	47.1	8	54.41×31.5×83.16	56.2×33.1×84.2	4 inch	508.64	1/3	115/60/1	4.3	R-134a
MCF8709	2	45	8	54.41×29.92×81.19	56.2×31.5×84.2	2 inch	499.4	1/3	115/60/1	4.3	R-404a

For best results of food preservation, we recommend setting your refrigerator between 33 $^\circ\!F$ - 38 $^\circ\!F$












- 1.Don't forget to leave the unit some room to breathe!
- 2. Please clean the condenser frequently to give the unit more fresh air.
- 3. Energy Star only for MCF8705 and MCF8707.





Plan View



Terms and Conditions

2 YEAR WARRANTY

All claims for parts or labor must be made directly through Atosa. All claims must include: model number of the unit, the serial number, proof of purchase, date of installation, and all pertinent information supporting the alleged defect. In case of compressor replacement under warranty, either compressor or compressor tag must be returned to Atosa along with above listed information. Failure to comply with warranty policies will result in voiding claims.

Two Year Parts & Labor Warranty

Atosa warrants all new refrigerated components, such as the cabinet and all parts, to be free from defects in materials or workmanship. Atosa's obligation under this warranty is limited to a period of two (2) years from the date of original installation or 27 months after shipment date from Atosa, whichever occurs first. All part s covered under this warranty that are defective within two (2) years of original installation or twenty seven (27) months after shipment date from manufacturer, whichever occurs first, are limited to repair or replacement (including labor charges, of defective parts or assemblies). The labor warranty shall include standard straight time labor charges only and reasonable travel time, as determined by Atosa.

Additional Three Year Compressor Warranty

In addition to the two (2) year warranty stated above, Atosa warrants its sealed compressor to be free from defects in both material and workmanship under normal and proper use and maintenance service for a period of three (3) additional years from the date of original installation, but not to exceed five (5) years. Compressors that have been determined to be defective from Atosa within this extended period will be either repaired or replaced with a compressor or compressor parts of similar design and capacity according to Atosa's discretion. The three (3) year extended compressor warranty applies only to sealed parts of the compressor and does not apply to any other parts or components. This includes, the cabinet, paint finish, temperature control, refrigerant, metering device, motor starting equipment, fan assembly, and other electrical components, etc.

404A / 134a Compressor Warranty

The five-year compressor warranty detailed above will be void if the following procedure is not carefully adhered to:

- 1. This system contains R404A or R134a refrigerant and lubricant. The lubricant has rapid moisture absorbing qualities.
- 2.Drier replacement is very important and must be changed when a system is opened for servicing.
- 3. Micron level vacuums must be achieved to insure low moisture levels in the system.
- 4.Compressor must be obtained through Atosa, unless otherwise specified in writing, through Atosa's warranty department.

What is Not Covered by This Warranty

Atosa's sole obligation under this warranty is limited to either repair or replacement of parts, subject to the additional limitations below. This warranty neither assumes nor authorizes any person to assume obligations other than those expressly covered by this warranty.

Routine Maintenance requirements must be followed or warranty is Void NO CONSEQUENTIAL DAMAGES: ATOSA IS NOT RESPONSIBLE FOR ECONOMIC LOSS; PROFIT LOSS; OR SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES, INCLUDING WITHOUT LIMITATION, LOSSES, OR DAMAGES ARISING FROM FOOD OR PRODUCT SPOILAGE, REGARDLESS OF WHETHER OR NOT THEY RESULT FROM REFRIGERATION FAILURE.

WARRANTY IS NOT TRANSFERABLE: This warranty is not assignable and applies only in favor of the original purchaser/user to whom delivered. ANY SUCH ASSIGNMENT OR TRANSFER SHALL VOID THE WARRANNTIES HEREIN AND SHALL VOID ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR LABOR COVERAGE FOR COMPONENT FAILURE OR OTHER THE WARRANTY PACKET PROVIDED WITH THE UNIT

ALTERATION, NEGLECT, ABUSE, MISUSE, ACCIDENT, DAMAGE DURING TRANSIT OR INSTALLATION, FIRE, FOOD, OR ACTS OF GOD:

Atosa is not responsible for the repair or replacement of any parts that are determined to have been subjected after the date of manufacture to alteration, neglect, abuse, misuse, accident, damage during transit or installation, fire, flood, or act of God.

IMPROPER ELECTRICAL CONNECTIONS: Atosa IS NOT RESPONSIBLE FOR THE REPAIR OR REPLACEMENT OF FAILED OR DAMAGED COMPONENTS RESULTING FROM ELECTRICAL POWER FAILURE, THE USE OF EXTENSION CORDS, LOW VOLTAGE, OR VOLTAGE DROPS TO THE UNIT.

THE TWO (2) YEAR PARTS & LABOR WARRANTY AND THE ADDITIONAL THREE (3) YEAR COMPRESSOR WARRANTY ARE AS DESCRIBED ABOVE. THESE WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, INCLUDING IMPLIED WARRANTY AND MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF.

Outside U.S. and Canada: This warranty does not apply to areas outside the continent of the United States. Atosa is not responsible for any warranty claims made on products sold or used in such areas.



Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com | california,Colorado,Florida,Georgia,Illinois,Massachusetts,New Jersey,Ohio,Texas,Washington

MGF8401

Undercounter Refrigerator Series

Standard Features

- Exterior & interior stainless steel construction
- Heavy duty Embraco compressor
- · Self-closing and stay open door
- · Efficient refrigeration system
- Round corner design
- · Recessed door handle
- Standard safety door lock
- · Magnetic door gaskets
- Pre-installed castors
- Pre-installed shelves
- 155lbs loading capacity per shelf









Specifications

Model	Doors	Cu.Ft	Shelves	Exterior Dimensions(W*D*H)	Packing Dimensions(W*D*H)	Castors	Gross Weight(LBS)	HP	Voltage	Amps	Refrigerant
MGF8401	1	6.5	1	27.48×30×37.16	30.3×33.6×38.2	5 inch	169.84	1/6	115/60/1	3.2	R-134a
MGF8402	2	12	2	48.23×30×37.16	51.2×33.6×38.2	5 inch	230.56	1/6	115/60/1	4.2	R-134a
MGF8403	2	17.9	2	60.24×30×37.16	63.0×33.6×38.2	5 inch	275	1/4	115/60/1	4.2	R-134a
MGF8404	3	32.8	3	72.68×30×37.16	75.5×33.6×38.2	5 inch	314.6	1/4	115/60/1	4.2	R-134a

For best results of food preservation, we recommend setting your refrigerator between 33°F - 38°F












- 1.Don't forget to leave the unit some room to breathe!
- 2. Please clean the condenser frequently to give the unit more fresh air.





Terms and Conditions

2 YEAR WARRANTY

All claims for parts or labor must be made directly through Atosa. All claims must include: model number of the unit, the serial number, proof of purchase, date of installation, and all pertinent information supporting the alleged defect. In case of compressor replacement under warranty, either compressor or compressor ag must be returned to Atosa along with above listed information. Failure to comply with warranty policies will result in voiding claims.

Two Year Parts & Labor Warranty

Atosa warrants all new refrigerated components, such as the cabinet and all parts, to be free from defects in materials or workmanship. Atosa's obligation under this warranty is limited to a period of two (2) years from the date of original installation or 27 months after shipment date from Atosa, whichever occurs first. All part s covered under this warranty that are defective within two (2) years of original installation or twenty seven (27) months after shipment date from manufacturer, whichever occurs first, are limited to repair or replacement (including labor charges, of defective parts or assemblies). The labor warranty shall include standard straight time labor charges only and reasonable travel time, as determined by Atosa.

Additional Three Year Compressor Warranty

In addition to the two (2) year warranty stated above, Atosa warrants its sealed compressor to be free from defects in both material and workmanship under normal and proper use and maintenance service for a period of three (3) additional years from the date of original installation, but not to exceed five (5) years. Compressors that have been determined to be defective from Atosa within this extended period will be either repaired or replaced with a compressor or compressor parts of similar design and capacity according to Atosa's discretion. The three (3) year extended compressor warranty applies only to sealed parts of the compressor and does not apply to any other parts or components. This includes, the cabinet, paint finish, temperature control, refrigerant, metering device, motor starting equipment, fan assembly, and other electrical components, etc.

404A / 134a Compressor Warranty

The five-year compressor warranty detailed above will be void if the following procedure is not carefully adhered to:

- 1. This system contains R404A or R134a refrigerant and lubricant. The lubricant has rapid moisture absorbing qualities.
- 2.Drier replacement is very important and must be changed when a system is opened for servicing.
- 3. Micron level vacuums must be achieved to insure low moisture levels in the system.
- 4.Compressor must be obtained through Atosa, unless otherwise specified in writing, through Atosa's warranty department.

What is Not Covered by This Warranty

Atosa's sole obligation under this warranty is limited to either repair or replacement of parts, subject to the additional limitations below. This warranty neither assumes nor authorizes any person to assume obligations other than those expressly covered by this warranty.

Routine Maintenance requirements must be followed or warranty is Void NO CONSEQUENTIAL DAMAGES: ATOSA IS NOT RESPONSIBLE FOR ECONOMIC LOSS; PROFIT LOSS; OR SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES, INCLUDING WITHOUT LIMITATION, LOSSES, OR DAMAGES ARISING FROM FOOD OR PRODUCT SPOILAGE, REGARDLESS OF WHETHER OR NOT THEY RESULT FROM REFRIGERATION FAILURE.

WARRANTY IS NOT TRANSFERABLE: This warranty is not assignable and applies only in favor of the original purchaser/user to whom delivered. ANY SUCH ASSIGNMENT OR TRANSFER SHALL VOID THE WARRANNTIES HEREIN AND SHALL VOID ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR LABOR COVERAGE FOR COMPONENT FAILURE OR OTHER THE WARRANTY PACKET PROVIDED WITH THE UNIT

ALTERATION, NEGLECT, ABUSE, MISUSE, ACCIDENT, DAMAGE DURING TRANSIT OR INSTALLATION, FIRE, FOOD, OR ACTS OF GOD:

Atosa is not responsible for the repair or replacement of any parts that are determined to have been subjected after the date of manufacture to alteration, neglect, abuse, misuse, accident, damage during transit or installation, fire, flood, or act of God.

IMPROPER ELECTRICAL CONNECTIONS: Atosa IS NOT RESPONSIBLE FOR THE REPAIR OR REPLACEMENT OF FAILED OR DAMAGED COMPONENTS RESULTING FROM ELECTRICAL POWER FAILURE, THE USE OF EXTENSION CORDS, LOW VOLTAGE, OR VOLTAGE DROPS TO THE UNIT.

THE TWO (2) YEAR PARTS & LABOR WARRANTY AND THE ADDITIONAL THREE (3) YEAR COMPRESSOR WARRANTY ARE AS DESCRIBED ABOVE. THESE WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, INCLUDING IMPLIED WARRANTY AND MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF.

Outside U.S. and Canada: This warranty does not apply to areas outside the continent of the United States. Atosa is not responsible for any warranty claims made on products sold or used in such areas.



Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com | california,Colorado,Florida,Georgia,Illinois,Massachusetts,New Jersey,Ohio,Texas,Washington

Undercounter Freezer Series

Standard Features

- · Exterior & interior stainless steel construction
- Heavy duty Embraco compressor
- Self-closing and stay open door
- Efficient refrigeration system
- Round corner design
- · Recessed door handle
- Standard safety door lock
- Magnetic door gaskets
- Pre-installed castors
- Pre-installed shelves
- 155lbs loading capacity per shelf













Specifications

Model	Doors	Cu.Ft	Shelves	Exterior Dimensions(W*D*H)	Packing Dimensions(W*D*H)	Castors	Gross Weight(LBS)	HP	Voltage	Amps	Refrigerant
MGF8405	1	6.5	1	27.48×30×37.16	30.3×33.6×38.2	5 inch	178.2	1/3	115/60/1	4.1	R-134a
MGF8406	2	12	2	48.23×30×37.16	51.2×33.6×38.2	5 inch	242.88	1/2	115/60/1	7.2	R-404a

For best results of food preservation, we recommend setting your freezer between 0°F - 8°F










- 1.Don't forget to leave the unit some room to breathe!
- 2. Please clean the condenser frequently to give the unit more fresh air.





Terms and Conditions

2 YEAR WARRANTY

All claims for parts or labor must be made directly through Atosa. All claims must include: model number of the unit, the serial number, proof of purchase, date of installation, and all pertinent information supporting the alleged defect. In case of compressor replacement under warranty, either compressor or compressor tag must be returned to Atosa along with above listed information. Failure to comply with warranty policies will result in voiding claims.

Two Year Parts & Labor Warranty

Atosa warrants all new refrigerated components, such as the cabinet and all parts, to be free from defects in materials or workmanship. Atosa's obligation under this warranty is limited to a period of two (2) years from the date of original installation or 27 months after shipment date from Atosa, whichever occurs first. All part s covered under this warranty that are defective within two (2) years of original installation or twenty seven (27) months after shipment date from manufacturer, whichever occurs first, are limited to repair or replacement (including labor charges, of defective parts or assemblies). The labor warranty shall include standard straight time labor charges only and reasonable travel time, as determined by Atosa.

Additional Three Year Compressor Warranty

In addition to the two (2) year warranty stated above, Atosa warrants its sealed compressor to be free from defects in both material and workmanship under normal and proper use and maintenance service for a period of three (3) additional years from the date of original installation, but not to exceed five (5) years. Compressors that have been determined to be defective from Atosa within this extended period will be either repaired or replaced with a compressor or compressor parts of similar design and capacity according to Atosa's discretion. The three (3) year extended compressor warranty applies only to sealed parts of the compressor and does not apply to any other parts or components. This includes, the cabinet, paint finish, temperature control, refrigerant, metering device, motor starting equipment, fan assembly, and other electrical components, etc.

404A / 134a Compressor Warranty

The five-year compressor warranty detailed above will be void if the following procedure is not carefully adhered to:

- 1. This system contains R404A or R134a refrigerant and lubricant. The lubricant has rapid moisture absorbing qualities.
- 2. Drier replacement is very important and must be changed when a system is opened for servicing.
- 3. Micron level vacuums must be achieved to insure low moisture levels in the system.
- 4.Compressor must be obtained through Atosa, unless otherwise specified in writing, through Atosa's warranty department.

What is Not Covered by This Warranty

Atosa's sole obligation under this warranty is limited to either repair or replacement of parts, subject to the additional limitations below. This warranty neither assumes nor authorizes any person to assume obligations other than those expressly covered by this warranty.

Routine Maintenance requirements must be followed or warranty is Void NO CONSEQUENTIAL DAMAGES: ATOSA IS NOT RESPONSIBLE FOR ECONOMIC LOSS; PROFIT LOSS; OR SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES, INCLUDING WITHOUT LIMITATION, LOSSES, OR DAMAGES ARISING FROM FOOD OR PRODUCT SPOILAGE, REGARDLESS OF WHETHER OR NOT THEY RESULT FROM REFRIGERATION FAILURE.

WARRANTY IS NOT TRANSFERABLE: This warranty is not assignable and applies only in favor of the original purchaser/user to whom delivered. ANY SUCH ASSIGNMENT OR TRANSFER SHALL VOID THE WARRANNTIES HEREIN AND SHALL VOID ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR LABOR COVERAGE FOR COMPONENT FAILURE OR OTHER THE WARRANTY PACKET PROVIDED WITH THE UNIT

ALTERATION, NEGLECT, ABUSE, MISUSE, ACCIDENT, DAMAGE DURING TRANSIT OR INSTALLATION, FIRE, FOOD, OR ACTS OF GOD:

Atosa is not responsible for the repair or replacement of any parts that are determined to have been subjected after the date of manufacture to alteration, neglect, abuse, misuse, accident, damage during transit or installation, fire, flood, or act of God.

IMPROPER ELECTRICAL CONNECTIONS: Atosa IS NOT RESPONSIBLE FOR THE REPAIR OR REPLACEMENT OF FAILED OR DAMAGED COMPONENTS RESULTING FROM ELECTRICAL POWER FAILURE, THE USE OF EXTENSION CORDS, LOW VOLTAGE, OR VOLTAGE DROPS TO THE UNIT.

THE TWO (2) YEAR PARTS & LABOR WARRANTY AND THE ADDITIONAL THREE (3) YEAR COMPRESSOR WARRANTY ARE AS DESCRIBED ABOVE. THESE WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, INCLUDING IMPLIED WARRANTY AND MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF.

Outside U.S. and Canada: This warranty does not apply to areas outside the continent of the United States. Atosa is not responsible for any warranty claims made on products sold or used in such areas.



Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com | california,Colorado,Florida,Georgia,Illinois,Massachusetts,New Jersey,Ohio,Texas,Washington

Sandwich Prep Table Refrigerator Series

Standard Features

- · Front breathing, side mount compressor unit
- Exterior & interior stainless steel construction
- Stainless steel food pan included
- Heavy duty Embraco compressor
- · Self-closing and stay open door
- Efficient refrigeration system
- · Round corner design
- Recessed door handle
- Standard safety door lock
- Magnetic door gaskets
- Pre-installed castors
- Pre-installed shelves
- 155lbs loading capacity per shelf





















Specifications

Model	Doors	Cu.Ft	Shelves	Exterior Dimensions(W*D*H)	Packing Dimensions(W*D*H)	Castors	Gross Weight(LBS)	HP	Voltage	Amps	Refrigerant
MSF8301	1	6.5	1	27.48×30×44.26	30.3×33.6×46.1	5 inch	200.64	1/4	115/60/1	4.2	R-134a
MSF8302	2	12	2	48.23×30×44.26	51.2×33.6×46.1	5 inch	281.16	1/3	115/60/1	6.5	R-134a
MSF8303	2	18.2	2	60.24×30×44.26	63.0×33.6×46.1	5 inch	326.48	1/3	115/60/1	6.5	R-134a
MSF8304	3	32.8	3	72.68×30×44.26	75.5×33.6×46.1	5 inch	388.08	1/3	115/60/1	7.5	R-134a

For best results of food preservation, we recommend setting your refrigerator between 33°F - 38°F










- 1.Don't forget to leave the unit some room to breathe!
- 2. Please clean the condenser frequently to give the unit more fresh air.





Terms and Conditions

2 YEAR WARRANTY

All claims for parts or labor must be made directly through Atosa. All claims must include: model number of the unit, the serial number, proof of purchase, date of installation, and all pertinent information supporting the alleged defect. In case of compressor replacement under warranty, either compressor or compressor ag must be returned to Atosa along with above listed information. Failure to comply with warranty policies will result in voiding claims.

Two Year Parts & Labor Warranty

Atosa warrants all new refrigerated components, such as the cabinet and all parts, to be free from defects in materials or workmanship. Atosa's obligation under this warranty is limited to a period of two (2) years from the date of original installation or 27 months after shipment date from Atosa, whichever occurs first. All part s covered under this warranty that are defective within two (2) years of original installation or twenty seven (27) months after shipment date from manufacturer, whichever occurs first, are limited to repair or replacement (including labor charges, of defective parts or assemblies). The labor warranty shall include standard straight time labor charges only and reasonable travel time, as determined by Atosa.

Additional Three Year Compressor Warranty

In addition to the two (2) year warranty stated above, Atosa warrants its sealed compressor to be free from defects in both material and workmanship under normal and proper use and maintenance service for a period of three (3) additional years from the date of original installation, but not to exceed five (5) years. Compressors that have been determined to be defective from Atosa within this extended period will be either repaired or replaced with a compressor or compressor parts of similar design and capacity according to Atosa's discretion. The three (3) year extended compressor warranty applies only to sealed parts of the compressor and does not apply to any other parts or components. This includes, the cabinet, paint finish, temperature control, refrigerant, metering device, motor starting equipment, fan assembly, and other electrical components, etc.

404A / 134a Compressor Warranty

The five-year compressor warranty detailed above will be void if the following procedure is not carefully adhered to:

- 1. This system contains R404A or R134a refrigerant and lubricant. The lubricant has rapid moisture absorbing qualities.
- 2. Drier replacement is very important and must be changed when a system is opened for servicing.
- 3. Micron level vacuums must be achieved to insure low moisture levels in the system.
- 4.Compressor must be obtained through Atosa, unless otherwise specified in writing, through Atosa's warranty department.

What is Not Covered by This Warranty

Atosa's sole obligation under this warranty is limited to either repair or replacement of parts, subject to the additional limitations below. This warranty neither assumes nor authorizes any person to assume obligations other than those expressly covered by this warranty.

Routine Maintenance requirements must be followed or warranty is Void NO CONSEQUENTIAL DAMAGES: ATOSA IS NOT RESPONSIBLE FOR ECONOMIC LOSS; PROFIT LOSS; OR SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES, INCLUDING WITHOUT LIMITATION, LOSSES, OR DAMAGES ARISING FROM FOOD OR PRODUCT SPOILAGE, REGARDLESS OF WHETHER OR NOT THEY RESULT FROM REFRIGERATION FAILURE.

WARRANTY IS NOT TRANSFERABLE: This warranty is not assignable and applies only in favor of the original purchaser/user to whom delivered. ANY SUCH ASSIGNMENT OR TRANSFER SHALL VOID THE WARRANNTIES HEREIN AND SHALL VOID ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR LABOR COVERAGE FOR COMPONENT FAILURE OR OTHER THE WARRANTY PACKET PROVIDED WITH THE UNIT

ALTERATION, NEGLECT, ABUSE, MISUSE, ACCIDENT, DAMAGE DURING TRANSIT OR INSTALLATION, FIRE, FOOD, OR ACTS OF GOD:

Atosa is not responsible for the repair or replacement of any parts that are determined to have been subjected after the date of manufacture to alteration, neglect, abuse, misuse, accident, damage during transit or installation, fire, flood, or act of God.

IMPROPER ELECTRICAL CONNECTIONS: Atosa IS NOT RESPONSIBLE FOR THE REPAIR OR REPLACEMENT OF FAILED OR DAMAGED COMPONENTS RESULTING FROM ELECTRICAL POWER FAILURE, THE USE OF EXTENSION CORDS, LOW VOLTAGE, OR VOLTAGE DROPS TO THE UNIT.

THE TWO (2) YEAR PARTS & LABOR WARRANTY AND THE ADDITIONAL THREE (3) YEAR COMPRESSOR WARRANTY ARE AS DESCRIBED ABOVE. THESE WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, INCLUDING IMPLIED WARRANTY AND MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF.

Outside U.S. and Canada: This warranty does not apply to areas outside the continent of the United States. Atosa is not responsible for any warranty claims made on products sold or used in such areas.



Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com | california,Colorado,Florida,Georgia,Illinois,Massachusetts,New Jersey,Ohio,Texas,Washington

Mega Top Sandwich Prep Table Refrigerator Series

MSF8305

Standard Features

- Front breathing, side mount compressor unit
- · Exterior & interior stainless steel construction
- Stainless steel food pan included
- Heavy duty Embraco compressor
- · Self-closing and stay open door
- · Efficient refrigeration system
- Round corner design
- Recessed door handle
- Standard safety door lock
- Magnetic door gaskets
- Pre-installed castors
- Pre-installed shelves
- 155lbs loading capacity per shelf















Specifications

Model	Doors	Cu.Ft	Shelves	Exterior Dimensions(W*D*H)	Packing Dimensions(W*D*H)	Castors	Gross Weight(LBS)	HP	Voltage	Amps	Refrigerant
MSF8305	1	7.9	1	27.48×33.98×47.14	30.3×33.6×48.5	5 inch	217.8	1/4	115/60/1	4.2	R-134a
MSF8306	2	14.7	2	48.23×33.98×47.14	51.2×33.6×48.5	5 inch	302.28	1/3	115/60/1	6.5	R-134a
MSF8307	2	18.6	2	60.24×33.98×47.14	63.0×33.6×48.5	5 inch	351.56	1/3	115/60/1	6.5	R-134a
MSF8308	3	22.6	3	72.68×33.98×47.14	75.5×33.6×48.5	5 inch	417.12	1/3	115/60/1	7.5	R-134a

For best results of food preservation, we recommend setting your refrigerator between 33 $^{\circ}\text{F}$ - 38 $^{\circ}\text{F}$










- 1.Don't forget to leave the unit some room to breathe!
- 2. Please clean the condenser frequently to give the unit more fresh air.





Terms and Conditions

2 YEAR WARRANTY

All claims for parts or labor must be made directly through Atosa. All claims must include: model number of the unit, the serial number, proof of purchase, date of installation, and all pertinent information supporting the alleged defect. In case of compressor replacement under warranty, either compressor or compressor ag must be returned to Atosa along with above listed information. Failure to comply with warranty policies will result in voiding claims.

Two Year Parts & Labor Warranty

Atosa warrants all new refrigerated components, such as the cabinet and all parts, to be free from defects in materials or workmanship. Atosa's obligation under this warranty is limited to a period of two (2) years from the date of original installation or 27 months after shipment date from Atosa, whichever occurs first. All part s covered under this warranty that are defective within two (2) years of original installation or twenty seven (27) months after shipment date from manufacturer, whichever occurs first, are limited to repair or replacement (including labor charges, of defective parts or assemblies). The labor warranty shall include standard straight time labor charges only and reasonable travel time, as determined by Atosa.

Additional Three Year Compressor Warranty

In addition to the two (2) year warranty stated above, Atosa warrants its sealed compressor to be free from defects in both material and workmanship under normal and proper use and maintenance service for a period of three (3) additional years from the date of original installation, but not to exceed five (5) years. Compressors that have been determined to be defective from Atosa within this extended period will be either repaired or replaced with a compressor or compressor parts of similar design and capacity according to Atosa's discretion. The three (3) year extended compressor warranty applies only to sealed parts of the compressor and does not apply to any other parts or components. This includes, the cabinet, paint finish, temperature control, refrigerant, metering device, motor starting equipment, fan assembly, and other electrical components, etc.

404A / 134a Compressor Warranty

The five-year compressor warranty detailed above will be void if the following procedure is not carefully adhered to:

- 1. This system contains R404A or R134a refrigerant and lubricant. The lubricant has rapid moisture absorbing qualities.
- 2.Drier replacement is very important and must be changed when a system is opened for servicing.
- 3. Micron level vacuums must be achieved to insure low moisture levels in the system.
- 4.Compressor must be obtained through Atosa, unless otherwise specified in writing, through Atosa's warranty department.

What is Not Covered by This Warranty

Atosa's sole obligation under this warranty is limited to either repair or replacement of parts, subject to the additional limitations below. This warranty neither assumes nor authorizes any person to assume obligations other than those expressly covered by this warranty.

Routine Maintenance requirements must be followed or warranty is Void NO CONSEQUENTIAL DAMAGES: ATOSA IS NOT RESPONSIBLE FOR ECONOMIC LOSS; PROFIT LOSS; OR SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES, INCLUDING WITHOUT LIMITATION, LOSSES, OR DAMAGES ARISING FROM FOOD OR PRODUCT SPOILAGE, REGARDLESS OF WHETHER OR NOT THEY RESULT FROM REFRIGERATION FAILURE.

WARRANTY IS NOT TRANSFERABLE: This warranty is not assignable and applies only in favor of the original purchaser/user to whom delivered. ANY SUCH ASSIGNMENT OR TRANSFER SHALL VOID THE WARRANNTIES HEREIN AND SHALL VOID ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR LABOR COVERAGE FOR COMPONENT FAILURE OR OTHER THE WARRANTY PACKET PROVIDED WITH THE UNIT

ALTERATION, NEGLECT, ABUSE, MISUSE, ACCIDENT, DAMAGE DURING TRANSIT OR INSTALLATION, FIRE, FOOD, OR ACTS OF GOD:

Atosa is not responsible for the repair or replacement of any parts that are determined to have been subjected after the date of manufacture to alteration, neglect, abuse, misuse, accident, damage during transit or installation, fire, flood, or act of God.

IMPROPER ELECTRICAL CONNECTIONS: Atosa IS NOT RESPONSIBLE FOR THE REPAIR OR REPLACEMENT OF FAILED OR DAMAGED COMPONENTS RESULTING FROM ELECTRICAL POWER FAILURE, THE USE OF EXTENSION CORDS, LOW VOLTAGE, OR VOLTAGE DROPS TO THE UNIT.

THE TWO (2) YEAR PARTS & LABOR WARRANTY AND THE ADDITIONAL THREE (3) YEAR COMPRESSOR WARRANTY ARE AS DESCRIBED ABOVE. THESE WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, INCLUDING IMPLIED WARRANTY AND MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF.

Outside U.S. and Canada: This warranty does not apply to areas outside the continent of the United States. Atosa is not responsible for any warranty claims made on products sold or used in such areas.



Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com | california,Colorado,Florida,Georgia, Illinois,Massachusetts,New Jersey,Ohio,Texas, Washington

Pizza Prep Table Refrigerator Series

Standard Features

- Exterior & interior stainless steel construction
- Stainless steel food pan included
- Heavy duty Embraco compressor
- · Self-closing and stay open door
- · Efficient refrigeration system
- Round corner design
- · Recessed door handle
- Standard safety door lock
- Magnetic door gaskets
- Pre-installed castors
- Pre-installed shelves
- 155lbs loading capacity per shelf

















Specifications

Model	Doors	Cu.Ft	Shelves	Exterior Dimensions(W*D*H)	Packing Dimensions(W*D*H)	Castors	Gross Weight(LBS)	HP	Voltage	Amps	Refrigerant
MPF8201	1	14	2	43.98×33.07×44.03	46.9×35.5×45.7	5 inch	302.5	1/4	115/60/1	4.2	R-134a
MPF8202	2	20	4	67.01×30×44.03	70.1×35.5×45.7	5 inch	416.24	1/3	115/60/1	7.5	R-134a
MPF8203	3	26	6	92.99×30×44.03	96.1×35.5×45.7	5 inch	540.32	2/3	115/60/1	7.7	R-134a

For best results of food preservation, we recommend setting your refrigerator between $33\,^{\circ}\text{F}$ - $38\,^{\circ}\text{F}$










- 1.Don't forget to leave the unit some room to breathe!
- 2. Please clean the condenser frequently to give the unit more fresh air.





Terms and Conditions

2 YEAR WARRANTY

All claims for parts or labor must be made directly through Atosa. All claims must include: model number of the unit, the serial number, proof of purchase, date of installation, and all pertinent information supporting the alleged defect. In case of compressor replacement under warranty, either compressor or compressor ag must be returned to Atosa along with above listed information. Failure to comply with warranty policies will result in voiding claims.

Two Year Parts & Labor Warranty

Atosa warrants all new refrigerated components, such as the cabinet and all parts, to be free from defects in materials or workmanship. Atosa's obligation under this warranty is limited to a period of two (2) years from the date of original installation or 27 months after shipment date from Atosa, whichever occurs first. All part s covered under this warranty that are defective within two (2) years of original installation or twenty seven (27) months after shipment date from manufacturer, whichever occurs first, are limited to repair or replacement (including labor charges, of defective parts or assemblies). The labor warranty shall include standard straight time labor charges only and reasonable travel time, as determined by Atosa.

Additional Three Year Compressor Warranty

In addition to the two (2) year warranty stated above, Atosa warrants its sealed compressor to be free from defects in both material and workmanship under normal and proper use and maintenance service for a period of three (3) additional years from the date of original installation, but not to exceed five (5) years. Compressors that have been determined to be defective from Atosa within this extended period will be either repaired or replaced with a compressor or compressor parts of similar design and capacity according to Atosa's discretion. The three (3) year extended compressor warranty applies only to sealed parts of the compressor and does not apply to any other parts or components. This includes, the cabinet, paint finish, temperature control, refrigerant, metering device, motor starting equipment, fan assembly, and other electrical components, etc.

404A / 134a Compressor Warranty

The five-year compressor warranty detailed above will be void if the following procedure is not carefully adhered to:

- 1. This system contains R404A or R134a refrigerant and lubricant. The lubricant has rapid moisture absorbing qualities.
- 2.Drier replacement is very important and must be changed when a system is opened for servicing.
- 3. Micron level vacuums must be achieved to insure low moisture levels in the system.
- 4.Compressor must be obtained through Atosa, unless otherwise specified in writing, through Atosa's warranty department.

What is Not Covered by This Warranty

Atosa's sole obligation under this warranty is limited to either repair or replacement of parts, subject to the additional limitations below. This warranty neither assumes nor authorizes any person to assume obligations other than those expressly covered by this warranty.

Routine Maintenance requirements must be followed or warranty is Void NO CONSEQUENTIAL DAMAGES: ATOSA IS NOT RESPONSIBLE FOR ECONOMIC LOSS; PROFIT LOSS; OR SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES, INCLUDING WITHOUT LIMITATION, LOSSES, OR DAMAGES ARISING FROM FOOD OR PRODUCT SPOILAGE, REGARDLESS OF WHETHER OR NOT THEY RESULT FROM REFRIGERATION FAILURE.

WARRANTY IS NOT TRANSFERABLE: This warranty is not assignable and applies only in favor of the original purchaser/user to whom delivered. ANY SUCH ASSIGNMENT OR TRANSFER SHALL VOID THE WARRANNTIES HEREIN AND SHALL VOID ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR LABOR COVERAGE FOR COMPONENT FAILURE OR OTHER THE WARRANTY PACKET PROVIDED WITH THE UNIT

ALTERATION, NEGLECT, ABUSE, MISUSE, ACCIDENT, DAMAGE DURING TRANSIT OR INSTALLATION, FIRE, FOOD, OR ACTS OF GOD:

Atosa is not responsible for the repair or replacement of any parts that are determined to have been subjected after the date of manufacture to alteration, neglect, abuse, misuse, accident, damage during transit or installation, fire, flood, or act of God.

IMPROPER ELECTRICAL CONNECTIONS: Atosa IS NOT RESPONSIBLE FOR THE REPAIR OR REPLACEMENT OF FAILED OR DAMAGED COMPONENTS RESULTING FROM ELECTRICAL POWER FAILURE, THE USE OF EXTENSION CORDS, LOW VOLTAGE, OR VOLTAGE DROPS TO THE UNIT.

THE TWO (2) YEAR PARTS & LABOR WARRANTY AND THE ADDITIONAL THREE (3) YEAR COMPRESSOR WARRANTY ARE AS DESCRIBED ABOVE. THESE WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, INCLUDING IMPLIED WARRANTY AND MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF.

Outside U.S. and Canada: This warranty does not apply to areas outside the continent of the United States. Atosa is not responsible for any warranty claims made on products sold or used in such areas.



Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com | california,Colorado,Florida,Georgia,Illinois,Massachusetts,New Jersey,Ohio,Texas,Washington

Chef Base

Standard Features

- · Stainless steel exterior and interior.
- Over sized, factory balanced refrigeration system using a heavy duty Embraco Compressor.
- Heavy duty stainless steel drawer slides and rollers; no tools required for drawer removal.
- Magnetic drawer gasket is removable for easy cleaning and maintenance.
- · Recessed door handles.
- Pre-installed heavy duty casters with brakes, are included for added mobility.
- Designed with corrosion-resistant stainless steel of the highest quality.
- Cabinet top is one piece, heavy duty reinforced stainless steel to support countertop equipment.
- · Gravity fed self closing drawers.









Specifications

Model	Description		Exterior Dimension		Packing Dimension		Pans in Each	Capacity	Net Weight	Gross Weight	Voltage	Refrigerant	Power Consumption	AMPS	НР	
		1"	W"	H"	1"	W"	H"	Drawers	(cu ft)	(lb)	(lb)	7011190	rtonigorani	(KW)	AIIII 0	
MGF8450	48"Chef Base	48.4	32.1	26.6	51.1	35.2	28.7	1/1×2	9.4	213	260	115V/60HZ	R-134a	0.26KW	3.2	1/6
MGF8451	52"Chef Base	52.1	32.1	26.6	54.7	35.2	28.7	1/1×2 1/6×3	10.4	228	276	115V/60HZ	R-134a	0.26KW	3.2	1/6
MGF8452	60"Extended Top Chef Base	60.5	32.1	26.6	63.1	35.2	28.7	1/1×2 1/6×3	10.4	235.4	285	115V/60HZ	R-134a	0.26KW	3.2	1/6
MGF8453	72"Chef Base	72.4	32.1	26.6	75.1	35.2	28.7	1/1×2	15	312.4	365	115V/60HZ	R-134a	0.36KW	4.2	1/4
MGF8454	76"Extended Top Chef Base	76	32.1	26.6	78.6	35.2	28.7	1/1×2	15	317	370	115V/60HZ	R-134a	0.36KW	4.2	1/4

The part number for pan guide is 84511905

For best results of food preservation, we recommend setting your refrigerator between 33°F - 38°F












^{*} Atosa may at any time modify our equipment in order to provide and insure a superior product. Specifications subject to change without notice. Atosa reserves the final interpretation of all public materials.







Terms and Conditions

2 YEAR WARRANTY

All claims for parts or labor must be made directly through Atosa. All claims must include: model number of the unit, the serial number, proof of purchase, date of installation, and all pertinent information supporting the alleged defect. In case of compressor replacement under warranty, either compressor or compressor tag must be returned to Atosa along with above listed information. Failure to comply with warranty policies will result in voiding claims.

Two Year Parts & Labor Warranty

Atosa warrants all new refrigerated components, such as the cabinet and all parts, to be free from defects in materials or workmanship. Atosa's obligation under this warranty is limited to a period of two (2) years from the date of original installation or 27 months after shipment date from Atosa, whichever occurs first. All part s covered under this warranty that are defective within two (2) years of original installation or twenty seven (27) months after shipment date from manufacturer, whichever occurs first, are limited to repair or replacement (including labor charges, of defective parts or assemblies). The labor warranty shall include standard straight time labor charges only and reasonable travel time, as determined by Atosa.

Additional Three Year Compressor Warranty

In addition to the two (2) year warranty stated above, Atosa warrants its sealed compressor to be free from defects in both material and workmanship under normal and proper use and maintenance service for a period of three (3) additional years from the date of original installation, but not to exceed five (5) years. Compressors that have been determined to be defective from Atosa within this extended period will be either repaired or replaced with a compressor or compressor parts of similar design and capacity according to Atosa's discretion. The three (3) year extended compressor warranty applies only to sealed parts of the compressor and does not apply to any other parts or components. This includes, the cabinet, paint finish, temperature control, refrigerant, metering device, motor starting equipment, fan assembly, and other electrical components, etc.

404A / 134a Compressor Warranty

The five-year compressor warranty detailed above will be void if the following procedure is not carefully adhered to:

- 1. This system contains R404A or R134a refrigerant and lubricant. The lubricant has rapid moisture absorbing qualities.
- 2. Drier replacement is very important and must be changed when a system is opened for servicing.
- 3. Micron level vacuums must be achieved to insure low moisture levels in the system.
- 4.Compressor must be obtained through Atosa, unless otherwise specified in writing, through Atosa's warranty department.

What is Not Covered by This Warranty

Atosa's sole obligation under this warranty is limited to either repair or replacement of parts, subject to the additional limitations below. This warranty neither assumes nor authorizes any person to assume obligations other than those expressly covered by this warranty.

Routine Maintenance requirements must be followed or warranty is Void NO CONSEQUENTIAL DAMAGES: ATOSA IS NOT RESPONSIBLE FOR ECONOMIC LOSS; PROFIT LOSS; OR SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES, INCLUDING WITHOUT LIMITATION, LOSSES, OR DAMAGES ARISING FROM FOOD OR PRODUCT SPOILAGE, REGARDLESS OF WHETHER OR NOT THEY RESULT FROM REFRIGERATION FAILURE.

WARRANTY IS NOT TRANSFERABLE: This warranty is not assignable and applies only in favor of the original purchaser/user to whom delivered. ANY SUCH ASSIGNMENT OR TRANSFER SHALL VOID THE WARRANNTIES HEREIN AND SHALL VOID ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR LABOR COVERAGE FOR COMPONENT FAILURE OR OTHER THE WARRANTY PACKET PROVIDED WITH THE UNIT

ALTERATION, NEGLECT, ABUSE, MISUSE, ACCIDENT, DAMAGE DURING TRANSIT OR INSTALLATION, FIRE, FOOD, OR ACTS OF GOD:

Atosa is not responsible for the repair or replacement of any parts that are determined to have been subjected after the date of manufacture to alteration, neglect, abuse, misuse, accident, damage during transit or installation, fire, flood, or act of God.


IMPROPER ELECTRICAL CONNECTIONS: Atosa IS NOT RESPONSIBLE FOR THE REPAIR OR REPLACEMENT OF FAILED OR DAMAGED COMPONENTS RESULTING FROM ELECTRICAL POWER FAILURE, THE USE OF EXTENSION CORDS, LOW VOLTAGE, OR VOLTAGE DROPS TO THE UNIT.

THE TWO (2) YEAR PARTS & LABOR WARRANTY AND THE ADDITIONAL THREE (3) YEAR COMPRESSOR WARRANTY ARE AS DESCRIBED ABOVE. THESE WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, INCLUDING IMPLIED WARRANTY AND MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF.

Outside U.S. and Canada: This warranty does not apply to areas outside the continent of the United States. Atosa is not responsible for any warranty claims made on products sold or used in such areas.

CookRite

CookRite offers a complete line of commercial cooking equipment. Perfect for any kitchen environment. Heavy duty gas Ranges made with exceptional durability and outstanding energy efficiency. In even the most demanding kitchen environments, our counter-top gas equipment will outperform our competition. Our charbroilers are made with reversible cast iron grates and our hotplates are constructed with burners that are built to last. All of our CookRite units are constructed with heavy duty stainless steel, giving it a clean and yet durable look. This line consists of heavy duty gas ranges, hot plates, griddles, char-broilers, stock pot stoves, deep fryers, cheese melters, salamander broilers. Available in both natural gas and liquid propane.



GAS EQUIPMENTS

Char Rock Broilers	
Radiant Broilers	27
Griddles	29
Hot Plates	31
Stock Pot Stoves	33
Frvers	35



TO COOK NICELY!

Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com









TO COOK NICELY!

Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com California,Colorado,Florida,Georgia, Illinois,Massachusetts,New Jersey,Ohio,Texas, Washington

Char Rock Broilers

Standard Features

- Durable stainless steel structure, corrosion-resistant and easy to clean
- Simple and reasonable structure, easy to manipulate and maintain
- · Highly efficient stainless steel burner, standby pilots
- Thick stainless steel radiant plates, for quick and even heating
- Cast iron grill to maintain the thermal inertia
- Independent manual controls to save the energy
- Adjustable multi-level top grates
- Adjustable stainless steel legs






Specifications


Model	Burners and Control Method	Gas type	Intake- tube pressure (in.W.C.)	Per BTU B.T.U./h	Total BTU B.T.U./h	Regulator	ATCB Net Weight (LBS)Rock	Working Area(inch)	Packing Dimension (inch)	Gross Weight(LBS)
ATCB-24	2 Burners	NG	4	35,000	70,000	4" w.c.	136.7	23.9×20.2	00.000.000.000	168.2
Independent Manual control	LP	10	35,000	70,000	10" w.c.	136.7	23.9 \ 20.2	26.8×29.9×18.2	100.2	
ATCB-36 Ir	3 Burners Independent Manual control	NG	4	35,000	105,000	4" w.c.	190.52	35.7×20.2	38.6×29.9×18.2	237.6
		LP	10	35,000	105,000	10" w.c.				237.0
ATCB-48	4 Burners Independent Manual control	NG	4	35,000	140,000	4" w.c.	247.20	47.9×20.2	50.8×29.9×18.2	242.7
ATCB-40		LP	10	35,000	140,000	10" w.c.	247.28			313.7











Terms and Conditions

1 YEAR WARRANTY

All claims for parts or labor must be made directly to Atosa. All claims must include: model number of the unit, serial number, proof of purchase, date of installation, and all pertinent information supporting the alleged defect. Failure to comply with warranty policies will result in voiding claims.

Atosa warrants all new gas components to be free from defects in materials or workmanship. Atosa's obligation under this warranty is limited to a period of 1 year from the original installation. All parts covered under this warranty that are defective within 1 year of the original installation are limited to repair or replacement (Including labor charges, of defective parts or assemblies) The labor warranty shall include standard straight time labor charges only and reasonable travel time, as determined by Atosa.

NO CONSEQUENTIAL DAMAGES: ATOSA IS NOT RESPONSIBLE FOR ECONOMIC LOSS; PROFIT LOSS; OR SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES, INCLUDING WITHOUT LIMITATION, LOSSES, OR DAMAGES ARISING FROM FOOD OR PRODUCT SPOILAGE, REGARDLESS OF WHETHER OR NOT THEY RESULT FROM REFRIGERATION FAILURE.

WARRANTY IS NOT TRANSFERABLE: This warranty is not assignable and applies only in favor of the original purchaser/user to whom delivered. ANY SUCH ASSIGNMENT OR TRANSFER SHALL VOID THE WARRANTIES HEREIN AND SHALL VOID ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR LABOR COVERAGE FOR COMPONENT FAILURE OR OTHER THE WARRANTY PACKET PROVIDED WITH THE UNIT.

ALTERATION, NEGLECT, ABUSE, MISUSE, ACCIDENT, DAMAGE DURING TRANSIT OR INSTALLATION, FIRE, FLOOD, OR ACTS OF GOD: Atosa is not responsible for the repair or replacement of any parts that are determined to have been subjected after the date of manufacture to alteration, neglect, abuse, misuse, accident, damage during transit or installation, fire, flood, or acts of God.

WHAT IS WARRANTED AND FOR HOW LONG:

The Product's cast-iron grates, stainless steel radiants, and briquettes are warranted not to fail as a result of defects in materials or workmanship in normal use for a period of one year from the date of purchase. Atosa agrees to repair or replace, at its option, the above warranted parts or items that fails due to defects in materials or workmanship during the warranted period. To obtain warranty service, the Purchaser must contact Atosa toll free (855) 855-0399

THE ONE YEAR PARTS & LABOR WARRANTY ARE AS DESCRIBED ABOVE. THESE WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, INCLUDING IMPLIED WARRANTY AND MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF.

Outside U.S. and Canada: This warranty does not apply to areas outside the continent of the United States. Atosa is not responsible for any warranty claims made on products sold or used in such areas.



TO COOK NICELY!

Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com California,Colorado,Florida,Georgia, Illinois,Massachusetts,New Jersey,Ohio,Texas, Washington

Radiant Broilers

Standard Features

- Durable stainless steel structure, corrosion-resistant and easy to clean
- Simple and reasonable structure, easy to manipulate and maintain
- · Highly efficient stainless steel burner, standby pilots
- Thick stainless steel radiant plates, for quick and even heating
- Cast iron grill to maintain the thermal inertia
- Independent manual controls to save the energy
- Adjustable multi-level top grates
- Adjustable stainless steel legs






Specifications


Model	Burners and Control Method	Gas type	Intake- tube pressure (in.W.C.)	Per BTU B.T.U./h	Total BTU B.T.U./h	Regulator	ATCB Net Weight (LBS)Rock	Working Area(inch)	Packing Dimension (inch)	Gross Weight(LBS)
ATRC-24	2 Burners		4	35,000	70,000	4" w.c.	116.6	23.9×20.2	00.000.000.00	146.6
Independe	Independent Manual control	LP	10	35,000	70,000	10" w.c.	116.6	23.9 \ 20.2	26.8×29.9×18.2	140.0
ATRC-36	3 Burners Independent Manual control	NG	4	35,000	105,000	4" w.c.	158.4	35.7×20.2	38.6×29.9×18.2	205
		LP	10	35,000	105,000	10" w.c.				205
ATRC-48	4 Burners Independent Manual control	NG	4	35,000	140,000	4" w.c.	200	47.9×20.2	50.8×29.9×18.2	250
AIRC-40		LP	10	35,000	140,000	10" w.c.				256











Terms and Conditions

1 YEAR WARRANTY

All claims for parts or labor must be made directly to Atosa. All claims must include: model number of the unit, serial number, proof of purchase, date of installation, and all pertinent information supporting the alleged defect. Failure to comply with warranty policies will result in voiding claims.

Atosa warrants all new gas components to be free from defects in materials or workmanship. Atosa's obligation under this warranty is limited to a period of 1 year from the original installation. All parts covered under this warranty that are defective within 1 year of the original installation are limited to repair or replacement (Including labor charges, of defective parts or assemblies) The labor warranty shall include standard straight time labor charges only and reasonable travel time, as determined by Atosa.

NO CONSEQUENTIAL DAMAGES: ATOSA IS NOT RESPONSIBLE FOR ECONOMIC LOSS; PROFIT LOSS; OR SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES, INCLUDING WITHOUT LIMITATION, LOSSES, OR DAMAGES ARISING FROM FOOD OR PRODUCT SPOILAGE, REGARDLESS OF WHETHER OR NOT THEY RESULT FROM REFRIGERATION FAILURE.

WARRANTY IS NOT TRANSFERABLE: This warranty is not assignable and applies only in favor of the original purchaser/user to whom delivered. ANY SUCH ASSIGNMENT OR TRANSFER SHALL VOID THE WARRANNTIES HEREIN AND SHALL VOID ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR LABOR COVERAGE FOR COMPONENT FAILURE OR OTHER THE WARRANTY PACKET PROVIDED WITH THE UNIT.

ALTERATION, NEGLECT, ABUSE, MISUSE, ACCIDENT, DAMAGE DURING TRANSIT OR INSTALLATION, FIRE, FLOOD, OR ACTS OF GOD: Atosa is not responsible for the repair or replacement of any parts that are determined to have been subjected after the date of manufacture to alteration, neglect, abuse, misuse, accident, damage during transit or installation, fire, flood, or acts of God.

WHAT IS WARRANTED AND FOR HOW LONG:

The Product's cast-iron grates, stainless steel radiants, and briquettes are warranted not to fail as a result of defects in materials or workmanship in normal use for a period of one year from the date of purchase. Atosa agrees to repair or replace, at its option, the above warranted parts or items that fails due to defects in materials or workmanship during the warranted period. To obtain warranty service, the Purchaser must contact Atosa toll free (855) 855-0399

THE ONE YEAR PARTS & LABOR WARRANTY ARE AS DESCRIBED ABOVE. THESE WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, INCLUDING IMPLIED WARRANTY AND MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF.

Outside U.S. and Canada: This warranty does not apply to areas outside the continent of the United States. Atosa is not responsible for any warranty claims made on products sold or used in such areas.

In some cases, a 25% restocking fee may be charged to a buyer for returned items.

28



TO COOK NICELY!

Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com | california,Colorado,Florida,Georgia, Illinois,Massachusetts,New Jersey,Ohio,Texas, Washington

Griddles

Standard Features

- Durable stainless steel structure, corrosion-resistant and easy to clean
- Simple and reasonable structure, easy to manipulate and maintain
- · Highly efficient stainless steel burner, standby pilots
- Thick grill, with excellent heat storage performance and even heating
- Independent manual controls to save the energy
- Adjustable stainless steel legs










Model	Burners and Control Method	Gas type	Intake- tube pressure (in.W.C.)	Per BTU B.T.U./h	Total BTU B.T.U./h	Regulator	ATCB Net Weight (LBS)Rock	Working Area(inch)	Packing Dimension (inch)	Gross Weight(LBS)
ATMG-24	2 Burners	NG	4	30,000	60,000	4" w.c.	160. 9	23.9×19.9	26.8×31.1×18.2	194.5
ATIVIG-24	Independent Manual control	LP	10	30,000	60,000	10" w.c.	160.9	23.9 \ 19.9	26.6×31.1×16.2	194.5
ATMG-36	3 Burners	NG	4	30,000	90,000	4" w.c.	220	25.7×40.0	38.6×31.1×18.2	200.0
ATIVIG-30	Independent Manual control	LP	10	30,000	90,000	10" w.c.	229 35.7×19		36.6 \ 31.1 \ 16.2	280.9
ATMG-48	4 Burners	NG	4	30,000	120,000	4" w.c.	294	47.9×19.9	E4 C > 20 7 > 47 C	414
A11/10-40	Independent Manual control	LP	10	30,000	120,000	10" w.c.	294	47.9 19.9	19.9 51.6×32.7×17.6	414









Terms and Conditions

1 YEAR WARRANTY

All claims for parts or labor must be made directly to Atosa. All claims must include: model number of the unit, serial number, proof of purchase, date of installation, and all pertinent information supporting the alleged defect. Failure to comply with warranty policies will result in voiding claims.

Atosa warrants all new gas components to be free from defects in materials or workmanship. Atosa's obligation under this warranty is limited to a period of 1 year from the original installation. All parts covered under this warranty that are defective within 1 year of the original installation are limited to repair or replacement (Including labor charges, of defective parts or assemblies) The labor warranty shall include standard straight time labor charges only and reasonable travel time, as determined by Atosa.

NO CONSEQUENTIAL DAMAGES: ATOSA IS NOT RESPONSIBLE FOR ECONOMIC LOSS; PROFIT LOSS; OR SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES, INCLUDING WITHOUT LIMITATION, LOSSES, OR DAMAGES ARISING FROM FOOD OR PRODUCT SPOILAGE, REGARDLESS OF WHETHER OR NOT THEY RESULT FROM REFRIGERATION FAILURE.

WARRANTY IS NOT TRANSFERABLE: This warranty is not assignable and applies only in favor of the original purchaser/user to whom delivered. ANY SUCH ASSIGNMENT OR TRANSFER SHALL VOID THE WARRANNTIES HEREIN AND SHALL VOID ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR LABOR COVERAGE FOR COMPONENT FAILURE OR OTHER THE WARRANTY PACKET PROVIDED WITH THE UNIT.

ALTERATION, NEGLECT, ABUSE, MISUSE, ACCIDENT, DAMAGE DURING TRANSIT OR INSTALLATION, FIRE, FLOOD, OR ACTS OF GOD: Atosa is not responsible for the repair or replacement of any parts that are determined to have been subjected after the date of manufacture to alteration, neglect, abuse, misuse, accident, damage during transit or installation, fire, flood, or acts of God.

WHAT IS WARRANTED AND FOR HOW LONG:

The Product's cast-iron grates, stainless steel radiants, and briquettes are warranted not to fail as a result of defects in materials or workmanship in normal use for a period of one year from the date of purchase. Atosa agrees to repair or replace, at its option, the above warranted parts or items that fails due to defects in materials or workmanship during the warranted period. To obtain warranty service, the Purchaser must contact Atosa toll free (855) 855-0399

THE ONE YEAR PARTS & LABOR WARRANTY ARE AS DESCRIBED ABOVE. THESE WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, INCLUDING IMPLIED WARRANTY AND MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF.

Outside U.S. and Canada: This warranty does not apply to areas outside the continent of the United States. Atosa is not responsible for any warranty claims made on products sold or used in such areas.

In some cases, a 25% restocking fee may be charged to a buyer for returned items.

30



TO COOK NICELY!

Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com | www.atosausa.com California,Colorado,Florida,Georgia. Illinois,Massachusetts,New Jersey,Ohio,Texas, Washington

Hot Plates

Standard Features

- Durable stainless steel structure, corrosion-resistant and easy to clean
- Simple and reasonable structure, easy to manipulate and maintain
- · Heavy duty burners, with stable flame, standby pilots
- Heavy duty Cast iron grates for a strong bearing performance
- Independent manual controls to save the energy
- Adjustable stainless steel legs





ATHP-12-2






Model	Burners and Control Method	Gas type	Intake- tube pressure (in.W.C.)	Per BTU B.T.U./h	Total BTU B.T.U./h	Regulator	Net weight (LBS)	Packing Dimension (inch)	Gross Weight(LBS)	
ATHP-12-2	2 Burners	NG	4	25,000	50,000	4" w.c.	54	15×29.9×16.5	73.9	
AI II P-12-2	Independent Manual control	LP	10	25,000	50,000	10" w.c.	54	15 \ 29.9 \ 16.5	13.9	
ATHP-24-4	4 Burners	NG	4	25,000	100,000	4" w.c.	94	26.8×29.9×16.5	124.6	
A1 nP-24-4	Independent Manual control	LP	10	25,000	100,000	10" w.c.	94	26.8×29.9×16.5	124.6	
ATUD 26 6	6 Burners	NG	4	25,000	150,000	4" w.c.	404	00.000.000.0	470.5	
ATHP-36-6	Independent Manual control	LP	10	25,000	150,000	10" w.c.	134	38.6×29.9×16.5	179.5	









Terms and Conditions

1 YEAR WARRANTY

All claims for parts or labor must be made directly to Atosa. All claims must include: model number of the unit, serial number, proof of purchase, date of installation, and all pertinent information supporting the alleged defect. Failure to comply with warranty policies will result in voiding claims.

Atosa warrants all new gas components to be free from defects in materials or workmanship. Atosa's obligation under this warranty is limited to a period of 1 year from the original installation. All parts covered under this warranty that are defective within 1 year of the original installation are limited to repair or replacement (Including labor charges, of defective parts or assemblies) The labor warranty shall include standard straight time labor charges only and reasonable travel time, as determined by Atosa.

NO CONSEQUENTIAL DAMAGES: ATOSA IS NOT RESPONSIBLE FOR ECONOMIC LOSS; PROFIT LOSS; OR SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES, INCLUDING WITHOUT LIMITATION, LOSSES, OR DAMAGES ARISING FROM FOOD OR PRODUCT SPOILAGE, REGARDLESS OF WHETHER OR NOT THEY RESULT FROM REFRIGERATION FAILURE.

WARRANTY IS NOT TRANSFERABLE: This warranty is not assignable and applies only in favor of the original purchaser/user to whom delivered. ANY SUCH ASSIGNMENT OR TRANSFER SHALL VOID THE WARRANTIES HEREIN AND SHALL VOID ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR LABOR COVERAGE FOR COMPONENT FAILURE OR OTHER THE WARRANTY PACKET PROVIDED WITH THE UNIT.

ALTERATION, NEGLECT, ABUSE, MISUSE, ACCIDENT, DAMAGE DURING TRANSIT OR INSTALLATION, FIRE, FLOOD, OR ACTS OF GOD: Atosa is not responsible for the repair or replacement of any parts that are determined to have been subjected after the date of manufacture to alteration, neglect, abuse, misuse, accident, damage during transit or installation, fire, flood, or acts of God.

WHAT IS WARRANTED AND FOR HOW LONG:

The Product's cast-iron grates, stainless steel radiants, and briquettes are warranted not to fail as a result of defects in materials or workmanship in normal use for a period of one year from the date of purchase. Atosa agrees to repair or replace, at its option, the above warranted parts or items that fails due to defects in materials or workmanship during the warranted period. To obtain warranty service, the Purchaser must contact Atosa toll free (855) 855-0399

THE ONE YEAR PARTS & LABOR WARRANTY ARE AS DESCRIBED ABOVE. THESE WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, INCLUDING IMPLIED WARRANTY AND MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF.

Outside U.S. and Canada: This warranty does not apply to areas outside the continent of the United States. Atosa is not responsible for any warranty claims made on products sold or used in such areas.

In some cases, a 25% restocking fee may be charged to a buyer for returned items.



TO COOK NICELY!

Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com | www.atosausa.com California,Colorado,Florida,Georgia, Illinois,Massachusetts,New Jersey,Ohio,Texas, Washington

Stock Pot Stoves

Standard Features

- NEW full width, removable stainless steel drip pan for easy cleanup
- · Compact, heavy duty chassis for a long life span
- Stainless steel sides and front valve cover
- Stainless steel tubing for pilots
- One year limited warranty, parts and labor
- Heavy ,cast iron three- ring burner, rated at a total of 80,000 BTU/hr
- Burner is equipped with two continuous pilots strategically placed for instant ignitions of each section
- Two manual controls to operate the inner and outer rings independently, for maximum flexibility of usage
- Heavy duty cast iron top grate





ATSP-18-1



ATSP-18-1L



ATSP-18-2




ATSP-18-2L

Model	Burners and Control Method	Gas type	Intake- tube pressure (in.W.C.)	Per BTU B.T.U./h	Total BTU B.T.U./h	Regulator	Net weight (LBS)	Packing Dimension (inch)	Gross Weight(LBS)	
ATSP-18-1	2 Burner	NG	4	40,000	80,000	4" w.c.	105.8	20.9×24.8×25	119	
A15P-10-1	Independent Manual control	LP	10	40,000	80,000	10" w.c.	105.6	20.9×24.6×25	119	
ATSP-18-2	4 Burners	NG	4	40,000	160,000	4" w.c.	201.7	20.9×45.7×25	221.6	
A13P-10-2	Independent Manual control	LP	10	40,000	160,000	10" w.c.	201.7	20.9×45.7×25	221.0	
ATSP-18-1L	2 Burner	NG	4	40,000	80,000	4" w.c.	102.4	20.0×24.0×20.4	110.0	
AISF-10-1L	Independent Manual control	LP	10	40,000	80,000	10" w.c.	103.4	20.9×24.8×20.1	116.8	
ATSP-18-2L	P-18-2I 4 Burners	NG	4	40,000	160,000	4" w.c.	400	00.00/45.70/00.4	000	
A13F-10-2L	Independent Manual control	LP	10	40,000	160,000	10" w.c.	198	20.9×45.7×20.1	220	









Terms and Conditions

1 YEAR WARRANTY

All claims for parts or labor must be made directly to Atosa. All claims must include: model number of the unit, serial number, proof of purchase, date of installation, and all pertinent information supporting the alleged defect. Failure to comply with warranty policies will result in voiding claims.

Atosa warrants all new gas components to be free from defects in materials or workmanship. Atosa's obligation under this warranty is limited to a period of 1 year from the original installation. All parts covered under this warranty that are defective within 1 year of the original installation are limited to repair or replacement (Including labor charges, of defective parts or assemblies) The labor warranty shall include standard straight time labor charges only and reasonable travel time, as determined by Atosa.

NO CONSEQUENTIAL DAMAGES: ATOSA IS NOT RESPONSIBLE FOR ECONOMIC LOSS; PROFIT LOSS; OR SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES, INCLUDING WITHOUT LIMITATION, LOSSES, OR DAMAGES ARISING FROM FOOD OR PRODUCT SPOILAGE, REGARDLESS OF WHETHER OR NOT THEY RESULT FROM REFRIGERATION FAILURE.

WARRANTY IS NOT TRANSFERABLE: This warranty is not assignable and applies only in favor of the original purchaser/user to whom delivered. ANY SUCH ASSIGNMENT OR TRANSFER SHALL VOID THE WARRANNTIES HEREIN AND SHALL VOID ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR LABOR COVERAGE FOR COMPONENT FAILURE OR OTHER THE WARRANTY PACKET PROVIDED WITH THE UNIT.

ALTERATION, NEGLECT, ABUSE, MISUSE, ACCIDENT, DAMAGE DURING TRANSIT OR INSTALLATION, FIRE, FLOOD, OR ACTS OF GOD: Atosa is not responsible for the repair or replacement of any parts that are determined to have been subjected after the date of manufacture to alteration, neglect, abuse, misuse, accident, damage during transit or installation, fire, flood, or acts of God.

WHAT IS WARRANTED AND FOR HOW LONG:

The Product's cast-iron grates, stainless steel radiants, and briquettes are warranted not to fail as a result of defects in materials or workmanship in normal use for a period of one year from the date of purchase. Atosa agrees to repair or replace, at its option, the above warranted parts or items that fails due to defects in materials or workmanship during the warranted period. To obtain warranty service, the Purchaser must contact Atosa toll free (855) 855-0399

THE ONE YEAR PARTS & LABOR WARRANTY ARE AS DESCRIBED ABOVE. THESE WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, INCLUDING IMPLIED WARRANTY AND MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF.

Outside U.S. and Canada: This warranty does not apply to areas outside the continent of the United States. Atosa is not responsible for any warranty claims made on products sold or used in such areas.

In some cases, a 25% restocking fee may be charged to a buyer for returned items.



TO COOK NICELY!

Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com California,Colorado,Florida,Georgia, Illinois,Massachusetts,New Jersey,Ohio,Texas, Washington

Fryers

Standard Features

- Durable stainless steel structure, corrosion-resistant and easy to clean
- Simple and reasonable structure, easy to manipulate and maintain
- Heavy duty burners, with a stable flame, standby pilots
- Safety valve with an automatic voltage stabilizing function
- Imported high quality thermostat, temperature control between 93°C-205°C/200°F-400°F
- Self-reset high temperature limiting device
- Nickel plated baskets/includes wire mesh crumb screen
- Oil cooling zone seated in the bottom of the tank, to avoid the influence of food residue
- Adjustable stainless steel legs














Model	Burners and Control Method	Gas type	Intake- tube pressure (in.W.C.)	Per BTU B.T.U./h	Total BTU B.T.U./h	Regulator	Net weight (LBS)	Packing Dimension (inch)	Gross Weight(LBS)	
ATFS-40	3 Burners	NG	4	34,000	102,000	4" w.c.	131	17.7×33.5×37.9	159.6	
A1F5-40	Independent Manual control	LP	10	30,000	90,000	10" w.c.	131	17.7 \ 33.5 \ 37.9	159.6	
ATFS-50	4 Burners	NG	4	34,000	136,000	4" w.c.	143	17.7×33.5×37.9	171.1	
A1F3-30	Independent Manual control	LP	10	30,000	120,000	10" w.c.	143	17.7 \ 33.5 \ 37.9	171.1	
ATFS-75	5 Burners	NG	4	34,000	170,000	4" w.c.	400	22 2 2 2 5 7 2 7 0	400 5	
AIFS-75	Independent Manual control	LP	10	30,000	150,000	10" w.c.	168	23.2×33.5×37.9	199.5	







Plan View



Terms and Conditions

WARRANTY

The stainless steel fry tank has a five (5) year limited tank warranty. If during the first year only, the tank is found to have a leak and is verified by an authorized service company, the entire fryer will be replaced. After the first year a replacement tank will be sent free of charge excluding freight and labor charges.

All claims for parts or labor must be made directly to Atosa. All claims must include: model number of the unit, serial number, proof of purchase, date of installation, and all pertinent information supporting the alleged defect. Failure to comply with warranty policies will result in voiding claims.

Atosa warrants all new gas components to be free from defects in materials or workmanship. Atosa's obligation under this warranty is limited to a period of 1 year from the original installation. All parts covered under this warranty that are defective within 1 year of the original installation are limited to repair or replacement (Including labor charges, of defective parts or assemblies) The labor warranty shall include standard straight time labor charges only and reasonable travel time, as determined by Atosa.

NO CONSEQUENTIAL DAMAGES: ATOSA IS NOT RESPONSIBLE FOR ECONOMIC LOSS; PROFIT LOSS; OR SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES, INCLUDING WITHOUT LIMITATION, LOSSES, OR DAMAGES ARISING FROM FOOD OR PRODUCT SPOILAGE, REGARDLESS OF WHETHER OR NOT THEY RESULT FROM REFRIGERATION FAILURE.

WARRANTY IS NOT TRANSFERABLE: This warranty is not assignable and applies only in favor of the original purchaser/user to whom delivered. ANY SUCH ASSIGNMENT OR TRANSFER SHALL VOID THE WARRANNTIES HEREIN AND SHALL VOID ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR LABOR COVERAGE FOR COMPONENT FAILURE OR OTHER THE WARRANTY PACKET PROVIDED WITH THE UNIT.

ALTERATION, NEGLECT, ABUSE, MISUSE, ACCIDENT, DAMAGE DURING TRANSIT OR INSTALLATION, FIRE, FLOOD, OR ACTS OF GOD: Atosa is not responsible for the repair or replacement of any parts that are determined to have been subjected after the date of manufacture to alteration, neglect, abuse, misuse, accident, damage during transit or installation, fire, flood, or acts of God.

WHAT IS WARRANTED AND FOR HOW LONG:

The Product's cast-iron grates, stainless steel radiants, and briquettes are warranted not to fail as a result of defects in materials or workmanship in normal use for a period of one year from the date of purchase. Atosa agrees to repair or replace, at its option, the above warranted parts or items that fails due to defects in materials or workmanship during the warranted period. To obtain warranty service, the Purchaser must contact Atosa toll free (855) 855-0399

THE ONE YEAR PARTS & LABOR WARRANTY ARE AS DESCRIBED ABOVE. THESE WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, INCLUDING IMPLIED WARRANTY AND MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF.

<u>Outside U.S. and Canada:</u> This warranty does not apply to areas outside the continent of the United States. Atosa is not responsible for any warranty claims made on products sold or used in such areas.

In some cases, a 25% restocking fee may be charged to a buyer for returned items.

36



MixRite offers high quality stainless steel products. The products in this line are made for every day use, but are designed with exceptional craftsmanship. Our sinks are formed from a single sheet, fused and polished creating a one-piece sanitary unit. Just like the other Atosa products, MixRite offers a cosmetically beautiful appearance. This lines consists of food pans, work tables, equipment stands, and sinks.



SMALLWARES

Economic Chafers	37
Roll Top Chafers	39
Food Warmers	41
Stainless Steel Equipment Stands	43
Steam Table Pans	45



Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com





SMALLWARES





Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com | california,Colorado,Florida,Georgia,Illinois,Massachusetts,New Jersey,Ohio,Texas, Washington

Economic Chafers

Standard Features

- Stainless steel stable frame and legs
- Heat resistant handle
- Water pan plus two burner holders
- Pre-installed full size by 4"deep food pan
- Polished Mirror Finish
















Model	Width	Depth	Height	Capacity	Color	Cover Type	Material	Shape	Size	Net Weight	Gross Weight
AT751L63-1	22.8"	15"	11.8"	8qt.	Silver	Lift-Off	Stainless Steel	Rectangle	Full Size	9.28Lbs	11.49Lbs
AT761L63-1	23.6"	14.2"	11.8"	9qt.	Silver	Lift-Off	Stainless Steel	Rectangle	Full Size	9.48Lbs	11.68Lbs
AT721R61-1	23.6"	13.4"	14.6"	8qt.	Silver	Retractable	Stainless Steel	Rectangle	Full Size	18.36Lbs	20.57Lbs



Plan View



Terms and Conditions

One Year Limited Warranty

Atosa Catering Equipment warrants its equipment against defects in materials and workmanship, subject to the following conditions:

Atosa Catering Equipment is warranted for one year, effective from the date of purchase by the original owner. A copy of the original receipt or other proof of purchase is required to obtain warranty coverage. This warranty applies to the original owner only, and is nontransferable.

Should any product fail to function in its intended manner under normal use within the limits defined in this warranty, at Atosa's discretion, such product will be replaced with a new unit by Atosa, after defective unit has been inspected. And defect has been confirmed. Atosa does not assume any liability for extended delays in replacing any item beyond its control. This warranty does not apply to plastic and non-metallic synthetic parts that may need to be replaced due to normal usage, or lack of preventative maintenance.

WHAT IS NOT COVERED BY THIS WARRANTY

- Equipment that has not properly been maintained, damage from improper cleaning, and water damage to controls.
- Equipment that has not been used in an appropriate manner, or has been subject to misuse, neglect, abuse, accident, alteration, negligence, damage during transit, fire, flood, or acts of God.

If the equipment has been changed, altered, modified, or repaired without express written permission from Atosa, then the manufacturer shall not be liable for any damages to any person or to any property, which may result from the use of this equipment thereafter.

For warranty and non-warranty related issues, technical support, purchase replacement parts contact Atosa toll free (855) 855-0399

^{*}In some cases, a 25% restocking fee may be charged to a buyer for returned items.



Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com | california,Colorado,Florida,Georgia, Illinois,Massachusetts,New Jersey,Ohio,Texas, Washington

Roll Top Chafers

Standard Features

- Stainless steel stable frame and legs
- Revolving cover opens gently
- Polished Mirror Finish
- Roll top cover adjustable 90° and 180°
- Water pan plus burner holder
- Pre-installed 4"deep round food pan
- Easily Change container without removing lid









Model	Width	Depth	Height	Capacity	Color	Cover Type	Material	Shape	Size	Net Weight	Gross Weight
AT51363	19.7"	20.9"	17.7"	5qt.	Silver	Roll top	Stainless Steel	Round	Full Size	15.79Lbs	17.99Lbs
AT61363	25.4"	18.7"	17.1"	8.5qt.	Silver	Roll top	Stainless Steel	Oblong	Full Size	23.90Lbs	26.10Lbs



Plan View





Terms and Conditions

One Year Limited Warranty

Atosa Catering Equipment warrants its equipment against defects in materials and workmanship, subject to the following conditions:

Atosa Catering Equipment is warranted for one year, effective from the date of purchase by the original owner. A copy of the original receipt or other proof of purchase is required to obtain warranty coverage. This warranty applies to the original owner only, and is nontransferable.

Should any product fail to function in its intended manner under normal use within the limits defined in this warranty, at Atosa's discretion, such product will be replaced with a new unit by Atosa, after defective unit has been inspected. And defect has been confirmed. Atosa does not assume any liability for extended delays in replacing any item beyond its control. This warranty does not apply to plastic and non-metallic synthetic parts that may need to be

WHAT IS NOT COVERED BY THIS WARRANTY

replaced due to normal usage, or lack of preventative maintenance.

- Equipment that has not properly been maintained, damage from improper cleaning, and water damage to controls.
- Equipment that has not been used in an appropriate manner, or has been subject to misuse, neglect, abuse, accident, alteration, negligence, damage during transit, fire, flood, or acts of God.

If the equipment has been changed, altered, modified, or repaired without express written permission from Atosa, then the manufacturer shall not be liable for any damages to any person or to any property, which may result from the use of this equipment thereafter.

For warranty and non-warranty related issues, technical support, purchase replacement parts contact Atosa toll free (855) 855-0399

*In some cases, a 25% restocking fee may be charged to a buyer for returned items.



Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com | california,Colorado,Florida,Georgia, Illinois,Massachusetts,New Jersey,Ohio,Texas, Washington

Food Warmers

Standard Features

7700

- Stainless steel structure
- Anti-drip well edge
- Lighted on/off switch
- Heat up within 10 minutes

AT51588 AT51388

- Hinged stainless lid for easy serving
- Removable stainless inset



AT51588



















AT51388



7700

	Model	Height	Diametr	Amps	Hertz	Voltage	Wattage	Capacity	Capacity per Compartment	Control Type	Inset Included	Number of Compartments	Temperature	Net Weight Gross Weight	Gross Weight
I	AT51588	14"	14.2"	3.3Amps	60	120 Volts	400 Watts	11 qt.	11 qt.	Infinite	Yes	1	105-195°F	10.93Lbs	13.14Lbs


Model	Height	Diametr	Interior Height	Interior Diameter	Amps	Hertz	Voltage	Capacity	Capacity per Compartment	Wattage	Control Type	Inset Included	Number of Compartments	Temperature	Net Weight	Gross Weight
AT51388	14"	14.2"	6 3/4"	10 1/2"	6.7 Amps	60	120 Volts	9 qt.	9 qt.	800 Watts	Infinite	Yes	1	105-195°	12.08Lbs	14.29Lbs

Model	Width	Depth	Height	Interior Width	Interior Depth	Interior Height	Amps	Hertz	Voltage	Wattage	Control Type	Material	Number of Wells	Temperature Settings	Net Weight Gross Weight	Gross Weight
7700	24"	14.6"	9"	12"	20"	6 1/2"	10Amps	60	120 Volts	1500 Watts	linfinite	Stainless Steel	1	Adjustable	16.27Lbs	18.47Lbs





Plan View



Terms and Conditions

One Year Limited Warranty

Atosa Catering Equipment warrants its equipment against defects in materials and workmanship, subject to the following conditions:

Atosa Catering Equipment is warranted for one year, effective from the date of purchase by the original owner. A copy of the original receipt or other proof of purchase is required to obtain warranty coverage. This warranty applies to the original owner only, and is nontransferable.

Should any product fail to function in its intended manner under normal use within the limits defined in this warranty, at Atosa's discretion, such product will be replaced with a new unit by Atosa, after defective unit has been inspected. And defect has been confirmed. Atosa does not assume any liability for extended delays in replacing any item beyond its control. This warranty does not apply to plastic and non-metallic synthetic parts that may need to be

WHAT IS NOT COVERED BY THIS WARRANTY

replaced due to normal usage, or lack of preventative maintenance.

- Equipment that has not properly been maintained, damage from improper cleaning, and water damage to controls.
- Equipment that has not been used in an appropriate manner, or has been subject to misuse, neglect, abuse, accident, alteration, negligence, damage during transit, fire, flood, or acts of God.

If the equipment has been changed, altered, modified, or repaired without express written permission from Atosa, then the manufacturer shall not be liable for any damages to any person or to any property, which may result from the use of this equipment thereafter.

For warranty and non-warranty related issues, technical support, purchase replacement parts contact Atosa toll free (855) 855-0399

^{*}In some cases, a 25% restocking fee may be charged to a buyer for returned items.



Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com | california,Colorado,Florida,Georgia, Illinois,Massachusetts,New Jersey,Ohio,Texas, Washington

Stainless Steel Equipment Stands

Standard Features

- This stand ships unassembled to save you on shipping cost. Tools are included for easy assembly.
- Its sturdy, stainless steel top surface and undershelf are designed to withstand constant use in your busy commercial Kitchen.
- The adjustable undershelf and bullet feet provide additional storage space, as well as optimum stability.
- Safety hemmed edge around the sides and back comes standard to keep equipment and other contents from sliding off.
- Added H-shape reinforced rib underneath the top surface makes it able to support more evenly distributed weight.









Model	L(IN)	W(IN)	H(IN)	PACKAGE SIZE (IN)	NET WEIGHT(LBS)	GROSS WEIGHT(LBS)
ATSE-2824	24	28	24	25*29*7	39.7	44
ATSE-2836	36	28	24	37*29*7	53	57.3
ATSE-2848	48	28	24	49*29*7	64	71.6



Plan View



Terms and Conditions

One Year Limited Warranty

Atosa Catering Equipment warrants its equipment against defects in materials and workmanship, subject to the following conditions:

Atosa Catering Equipment is warranted for one year, effective from the date of purchase by the original owner. A copy of the original receipt or other proof of purchase is required to obtain warranty coverage. This warranty applies to the original owner only, and is nontransferable.

Should any product fail to function in its intended manner under normal use within the limits defined in this warranty, at Atosa's discretion, such product will be replaced with a new unit by Atosa, after defective unit has been inspected. And defect has been confirmed. Atosa does not assume any liability for extended delays in replacing any item beyond its control. This warranty does not apply to plastic and non-metallic synthetic parts that may need to be replaced due to normal usage, or lack of preventative maintenance.

WHAT IS NOT COVERED BY THIS WARRANTY

- Equipment that has not properly been maintained, damage from improper cleaning, and water damage to controls.
- Equipment that has not been used in an appropriate manner, or has been subject to misuse, neglect, abuse, accident, alteration, negligence, damage during transit, fire, flood, or acts of God.

If the equipment has been changed, altered, modified, or repaired without express written permission from Atosa, then the manufacturer shall not be liable for any damages to any person or to any property, which may result from the use of this equipment thereafter. For warranty and non-warranty related issues, technical support, purchase replacement parts contact Atosa toll free (855) 855-0399

^{*}In some cases, a 25% restocking fee may be charged to a buyer for returned items.




Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com | california,Colorado,Florida,Georgia, Illinois,Massachusetts,New Jersey,Ohio,Texas, Washington

Steam table Pans

Steam table Pans.Stainless Steel






STEAM TABLE PANS GAUGE24 PRICE LIST

	Model	Size	Depth	Gauge	List
4.1.4	A2001	FULL	1-1/5"	24	N/A
1/1	A2002	FULL	2-1/2"	24	13.00
20-3/4"x12-3/4"	A2004	FULL	4"	24	17.66
530x325mm	A2006	FULL	6"	24	23.40
2/3	A2232	TWO THIRDS	2-1/2"	24	N/A
2/3 13-7/8"x12-3/4"	A2234	TWO THIRDS	4"	24	N/A
353x325mm	A2236	TWO THIRDS	6"	24	N/A
2//	A2242	TWO FOURTHS	2-1/2"	24	N/A
Z/4	A2244	TWO FOURTHS	4"	24	N/A
20-1/2"x6-3/8" 530x162mm	A2246	TWO FOURTHS	6"	24	N/A
4.10	A2121	HALF	1-1/5"	24	N/A
1/2	A2122	HALF	2-1/2"	24	8.14
12-3/4"x10-3/8"	A2124	HALF	4"	24	10.14
325x265mm	A2126	HALF	6"	24	15.00
1/3	A2132	THIRD	2-1/2"	24	6.80
17-3/4"x6-7/8"	A2134	THIRD	4"	24	8.26
12-3/4"x6-7/8" 325x176mm	A2136	THIRD	6"	24	12.84
1//	A2142	QUARTER	2-1/2"	24	5.18
10-3/8"x6-3/8"	A2144	QUARTER	4"	24	7.30
265x162mm	A2146	QUARTER	6"	24	11.30
1/6	A2162	SIXTH	2-1/2"	24	3.98
6-7/8"x6-1/4"	A2164	SIXTH	4"	24	6.00
176x162mm	A2166	SIXTH	6"	24	8.44
1/9	A2192	NINTH	2-1/2"	24	3.32
6-7/8"x4-1/4" 176x108mm	A2194	NINTH	4"	24	4.10

STEAM TABLE PANS GAUGE22 PRICE LIST




	Model	Size	Depth	Gauge	List
4 14	F2001	FULL	1-1/5"	22	N/A
1/1	F2002	FULL	2-1/2"	22	15.98
20-3/4"x12-3/4"	F2004	FULL	4"	22	21.04
530x325mm	F2006	FULL	6"	22	28.18
2/3	F2232	TWO THIRDS	2-1/2"	22	N/A
2/3 13-7/8"x12-3/4"	F2234	TWO THIRDS	4"	22	N/A
353x325mm	F2236	TWO THIRDS	6"	22	N/A
2//	F2242	TWO FOURTHS	2-1/2"	22	N/A
Z/ +	F2244	TWO FOURTHS	4"	22	N/A
20-1/2"x6-3/8" 530x162mm	F2246	TWO FOURTHS	6"	22	N/A
410	F2121	HALF	1-1/5"	22	N/A
1/2	F2122	HALF	2-1/2"	22	9.94
12-3/4"x10-3/8"	F2124	HALF	4"	22	12.30
325x265mm	F2126	HALF	6"	22	17.78
1/2	F2132	THIRD	2-1/2"	22	8.28
1/3	F2134	THIRD	4"	22	10.20
12-3/4"x6-7/8" 325x176mm	F2136	THIRD	6"	22	15.48
1//	F2142	QUARTER	2-1/2"	22	6.64
1/4	F2144	QUARTER	4"	22	8.86
10-3/8"x6-3/8" 265x162mm	F2146	QUARTER	6"	22	13.62
1/6	F2162	SIXTH	2-1/2"	22	4.92
6-7/8"x6-1/4"	F2164	SIXTH	4"	22	7.12
176x162mm	F2166	SIXTH	6"	22	10.30
1/9	F2192	NINTH	2-1/2"	22	4.10
6-7/8"x4-1/4" 176x108mm	F2194	NINTH	4"	22	5.12









LIDS PRICE

	Model	Size	TYPE	Gauge	List
1/1 20-3/4"x12-3/4" 530x325mm	A1000C	FULL	SOLID	24	12.96
1/1 20-3/4"x12-3/4" 530x325mm	A1000CS	FULL	SLOTTED	24	12.96
9/9 13-7/8"v12-3/4"	A1230C	TWO THIRDS	SOLID	24	N/A
2/3 13-7/8"x12-3/4" 353x325mm	A1230CS	TWO THIRDS	SLOTTED	24	N/A
2 1 20 1/2"v6 3/8"	A1240C	TWO FOURTHS	SOLID	24	N/A
2/4 20-1/2"x6-3/8" 530x162mm	A1240CS	TWO FOURTHS	SLOTTED	2.4	N/A




Perforated Steam Table Pans. Stainless Steel

LIDS PRICE

	Model	Size	TYPE	Gauge	List
1 12 12-3/4"×10-3/8"	A1120C	HALF	SOLID	24	6.66
1/2 12-3/4"x10-3/8" 325x265mm	A1120CS	HALF	SLOTTED	24	6.66
1/3 12-3/4"x6-7/8"	A1130C	THIRD	SOLID	24	4.98
1/3 12-3/4"x6-7/8" 325x176mm	A1130CS	THIRD	SLOTTED	24	4.98
4 1 1 1 1 1 1 1 1 1 1	A1140C	QUARTER	SOLID	24	4.60
1/4 10-3/8"x6-3/8" 265x162mm	A1140CS	QUARTER	SLOTTED	24	4.60
1 IC 6.7/8"v6.1/4"	A1160C	SIXTH	SOLID	24	3.14
1/6 6-7/8"x6-1/4" 176x162mm	A1160CS	SIXTH	SLOTTED	24	3.14
1 /Q 6-7/8"x4-1/4"	A1190C	NINTH	SOLID	24	2.70
179 176x108mm	A1190CS	NINTH	SLOTTED	24	2.70

PERFORATED PANS PRICE



	Model	Size	Depth	Gauge	List
4 14	A2001P	FULL	1-1/5"	24	N/A
1/1	A2002P	FULL	2-1/2"	24	17.36
20-3/4"x12-3/4"	A2004P	FULL	4"	24	24.18
530x325mm	A2006P	FULL	6"	24	31.56
1/2	A2121P	HALF	1-1/5"	24	N/A
	A2122P	HALF	2-1/2"	24	10.36
	A2124P	HALF	4"	24	12.28
325x265mm	A2126P	HALF	6"	24	18.7
4 14	F2001P	FULL	1-1/5"	22	N/A
1/1	F2002P	FULL	2-1/2"	22	20.64
20-3/4"x12-3/4"	F2004P	FULL	4"	22	27.90
530x325mm	F2006P	FULL	6"	22	37.10
410	F2121P	HALF	1-1/5"	22	N/A
1/2	F2122P	HALF	2-1/2"	22	12.50
12-3/4"x10-3/8"	F2124P	HALF	4"	22	14.8
325x265mm	F2126P	HALF	6"	22	22.02



MixRite offers high quality stainless steel products. The products in this line are made for every day use, but are designed with exceptional craftsmanship. Our sinks are formed from a single sheet, fused and polished creating a one-piece sanitary unit. Just like the other Atosa products, MixRite offers a cosmetically beautiful appearance. This lines consists of food pans, work tables, equipment stands, and sinks.



SINKS & TABLES

Work Tables 24 inch Series	47
Work Tables 30 inch Series	48
Compartment Sinks MRSA-1-D	49
Compartment Sinks MRSA-1-L	50
Compartment Sinks MRS-1-MOP	51
Compartment Sinks MRSA-1-N	52
Compartment Sinks MRSA-1-R	53
Compartment Sinks MRSB-3-D/MRSA-3-D	54
Welding Hand Wash Sinks MRS-HS-14	55
Welding Hand Wash Sinks MRS-HS-18	56



Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com



SINKS & TABLES



Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com | california,Colorado,Florida,Georgia, Illinois,Massachusetts,New Jersey,Ohio,Texas, Washington

Work Tables 24 inch Series




Standard Features


- 18 GA Stainless steel top reinforced with a welded channel frame
- Entire top mechanically polished to a satin finish
- Top is sound deadened
- All edges are turned down as a safety feature
- Galvanized tubular legs and under shelf are standard features on all models.
- Under shelf can be adjusted to desired height
- Adjustable bullet feet
- Ships K.D
- Easy to assemble




Specifications (unit:inch)

Model	Ga.	L	D	н	Net Weight (lbs.)
MRTW -2424	18	24	24	34	31
MRTW -2430	18	30	24	34	37
MRTW -2436	18	36	24	34	42
MRTW -2448	18	48	24	34	52
MRTW -2460	18	60	24	34	66
MRTW -2472	18	72	24	34	80









Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com | california,Colorado,Florida,Georgia, Illinois,Massachusetts,New Jersey,Ohio,Texas, Washington

Work Tables 30 inch Series




Standard Features


- 18 GA stainless steel top reinforced with a welded channel frame
- Entire top mechanically polished to a satin finish
- Top is sound deadened
- All edges are turned down as a safety feature
- Galvanized tubular legs and under shelf are standard features on all models.
- Under shelf can be adjusted to desired height
- Adjustable bullet feet
- Ships K.D
- Easy to assemble




Specifications (unit:inch)

Model	Ga.	L	D	н	Net Weight (lbs.)
MRTW-3030	18	30	30	34	42
MRTW-3036	18	36	30	34	48
MRTW-3048	18	48	30	34	59
MRTW-3060	18	60	30	34	74
MRTW-3072	18	72	30	34	90
MRTW-3084	18	84	30	34	102
MRTW-3096	18	96	30	34	117









Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com | california,Colorado,Florida,Georgia, Illinois,Massachusetts,New Jersey,Ohio,Texas, Washington

Compartment Sinks MRSA-1-D



Standard Features


- Entire sink is formed from a single sheet, fused and polished creating a one-piece sanitary unit
- All exposed welds are grounded smooth and polished to blend with adjacent surfaces providing a satin finish
- Large radius on all corners both vertically and horizontally
- Creased and angled drain boards for easy drainage
- · Galvanized legs are standard on all models
- Adjustable ABS bullet feet
- Faucets sold separately





Specifications (unit:inch)

Model	Ga.	Bowl Size (L*×D*×H*)	Length(L)	Depth(D)	Height(H)	Leg(A)	Net Weight (lbs.)
MRSA-1-D	18	18×18×12	54	24	44 1/2	22 1/2	45

Plan View







(unit: inch)



Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com | california,Colorado,Florida,Georgia, Illinois,Massachusetts,New Jersey,Ohio,Texas, Washington

Compartment Sinks MRSA-1-L




Standard Features


- Entire sink is formed from a single sheet, fused and polished creating a one-piece sanitary unit
- All exposed welds are grounded smooth and polished to blend with adjacent surfaces providing a satin finish
- · Large radius on all corners both vertically and horizontally
- · Creased and angled drain boards for easy drainage
- Galvanized legs are standard on all models
- Adjustable ABS bullet feet
- Faucets sold separately




Specifications (unit:inch)

Model	Ga.	Bowl Size (L*×D*×H*)	Length(L)	Depth(D)	Height(H)	Leg(A)	Net Weight (lbs.)
MRSA-1-L	18	18×18×12	39	24	44 1/2	22 1/2	39









Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com | california,Colorado,Florida,Georgia, Illinois,Massachusetts,New Jersey,Ohio,Texas, Washington

Compartment Sinks MRS-1-MOP




Standard Features


- Entire sink is formed from a single sheet, fused and polished creating a one-piece sanitary unit
- All exposed welds are grounded smooth and polished to blend with adjacent surfaces providing a satin finish
- Large radius on all corners both vertically and horizontally
- Creased and angled drain boards for easy drainage
- Galvanized legs are standard on all models
- Adjustable ABS bullet feet
- Faucets sold separately




Specifications (unit:inch)

Model	Ga.	Bowl Size (L*×D*×H*)	Length(L)	Depth(D)	Height(H)	Leg(A)	Net Weight (lbs.)
MRS-1-MOP	18	18×18×13	21	21 1/2	44 1/2	20 1/2	30









Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com | california,Colorado,Florida,Georgia, Illinois,Massachusetts,New Jersey,Ohio,Texas, Washington

Compartment Sinks MRSA-1-N




Standard Features


- Entire sink is formed from a single sheet, fused and polished creating a one-piece sanitary unit
- All exposed welds are grounded smooth and polished to blend with adjacent surfaces providing a satin finish
- Large radius on all corners both vertically and horizontally
- Creased and angled drain boards for easy drainage
- · Galvanized legs are standard on all models
- Adjustable ABS bullet feet
- Faucets sold separately




Specifications (unit:inch)

Model	Ga.	Bowl Size (L*×D*×H*)	Length(L)	Depth(D)	Height(H)	Leg(A)	Net Weight (lbs.)
MRSA-1-N	18	18×18×12	24	24	44 1/2	21 1/2	30









Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com | california,Colorado,Florida,Georgia, Illinois,Massachusetts,New Jersey,Ohio,Texas, Washington

Compartment Sinks MRSA-1-R




Standard Features


- Entire sink is formed from a single sheet, fused and polished creating a one-piece sanitary unit
- All exposed welds are grounded smooth and polished to blend with adjacent surfaces providing a satin finish
- Large radius on all corners both vertically and horizontally
- · Creased and angled drain boards for easy drainage
- Galvanized legs are standard on all models
- Adjustable ABS bullet feet
- Faucets sold separately




Specifications (unit:inch)

Model	Ga.	Bowl Size (L*×D*×H*)	Length(L)	Depth(D)	Height(H)	Leg(A)	Net Weight (lbs.)
MRSA-1-R	18	18×18×12	39	24	44 1/2	22 1/2	39









Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com | california,Colorado,Florida,Georgia, Illinois,Massachusetts,New Jersey,Ohio,Texas, Washington

Compartment Sinks MRSB-3-D/MRSA-3-D




Standard Features

- Entire sink is formed from a single sheet, fused and polished creating a one-piece sanitary unit
- All exposed welds are grounded smooth and polished to blend with adjacent surfaces providing a satin finish
- Large radius on all corners both vertically and horizontally
- Creased and angled drain boards for easy drainage
- Galvanized legs are standard on all models
- Adjustable ABS bullet feet
- Faucets sold separately



Specifications (unit:inch)

Model	Ga.	Bowl Size (L*×D*×H*)	Length(L)	Depth(D)	Height(H)	Leg(A)	Net Weight (lbs.)
MRSB-3-D	16	24×24×14	120	30	44 1/2	19 1/2	161
MRSA-3-D	18	18×18×12	90	24	44 1/2	21 1/2	84





Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com | california,Colorado,Florida,Georgia, Illinois,Massachusetts,New Jersey,Ohio,Texas, Washington

Welding Hand Wash Sinks MRS-HS-14



Standard Features

- 18 Gauge, 300 series stainless steel
- 6" Backsplash with 2" return
- · Goose neck faucet included
- 1-1/2" Drain opening
- 1-1/8" faucet holes on 4" centers
- 1-1/2" waste drain opening
- Strainer and faucet included
- Z-clip mounting bracker
- Easy to clean and sanitize




Options

- Side Splashes
- Faucet Upgrade

Specifications (unit:inch)

Model	Ga.	Bowl Size (L* \times D* \times H*)	Length(L)	Depth(D)	Height(H)	Net Weight (lbs.)
MRS-HS-14	18	10×12×5	14	16 1/2	11	12





Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com | california,Colorado,Florida,Georgia, Illinois,Massachusetts,New Jersey,Ohio,Texas, Washington

Welding Hand Wash Sinks MRS-HS-18



Standard Features

- 18 Gauge, 300 series stainless steel
- 6" Backsplash with 2" return
- · Goose neck faucet included
- 1-1/2" Drain opening
- 1-1/8" faucet holes on 4" centers
- 1-1/2" waste drain opening
- Strainer and faucet included
- Z-clip mounting bracker
- Easy to clean and sanitize


Options

- Side Splashes
- Faucet Upgrade



Specifications (unit:inch)

Model	Ga.	Bowl Size (L*×D*×H*)	Length(L)	Depth(D)	Height(H)	Net Weight (lbs.)
MRS-HS-18	18	14×10×5	18	14 1/2	11	13



OUR BRANDS

We Make The Kitchen Better







MAKE THE STEEL RITE!

We Make The Kitchen Better



Toll Free:855-855-0399 Email:info@atosausa.com www.atosa.com | www.atosausa.com | www.atosausa.com California,Colorado,Florida,Georgia, Illinois,Massachusetts,New Jersey,Ohio,Texas,Washington



Version: C2017-1